

RG10.02 D5/c

GENERAL INFORMATION

ROOM

This issue contains the FEBRUARY INDEX

# CURRENT LIST of MEDICAL LITERATURE

Vol. 16

February 25, 1949

No. 6-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY  
Washington, D. C.

GENERAL LIST  
OF  
MEDICAL LITERATURE

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

This index was prepared cooperatively by a staff recruited from various divisions of the Library. To expedite its publication, journals on Chemistry, Physics and Veterinary Medicine were eliminated as they were assumed to be adequately indexed in Chemical Abstracts and the Bibliography of Agriculture. Articles listed in the weekly issues under Anthropology, General, History, Bibliography, Biography and Nutrition were indexed selectively; however, articles with any possible medical significance were included. This index further differs from the usual form in that articles have been indexed on a title-word basis when the subject could be expressed in that way. Inconsistencies in terminology result from this procedure as the need for publishing this index was considered urgent.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abdom.	abdomen	*	inflamm.	inflammation
abnorm.	abnormalities		inj.	injuries, injurious
accomm.	& refrac. accommodation		innerv.	innervation
addict.	addiction		instr.	instruments
admin.	& dos. administration and dosage		insuff.	insufficiency
admin.	& org. administration and organization		manag.	management
anat.	& histol. anatomy and histology		med.	medical, medicine
appar.	apparatus		metab.	metabolism
artif.	artificial		metast.	metastasis
bact.	bacteriology		morphol.	morphology
bibliogr.	bibliography		mortal.	mortality
chem.	chemistry		nerv.	nervous
comm.	communicable		neurorol.	neurology
compl.	complications		nutrit.	nutrition
cond.	conditions		obst.	obstetrics
congen.	congenital		obstruct.	obstruction, obstruc-
defic.	deficiency		tive	
deform.	deformities		parasit.	parasitology
degen.	degeneration		pathol.	pathology, pathological
dent.	dental, dentistry		perf.	perforation
deriv.	derivatives		pharm.	pharmacy
determ.	determination		phys.	physical
develop.	development		physiol.	physiology, physio-
diag.	diagnosis		logic	
dilat.	dilatation		postop.	postoperative
diphth.	diphtheria		pregn.	pregnancy
dis.	diseases		preop.	preoperative
disloc.	dislocations		prep.	preparation, preparations
disord.	disorders		preserv.	preservation
econ.	economic		prev.	prevention
educ.	education		prod.	production
eff.	effects		progn.	prognosis
embryol.	embryology		progr.	progress
epidem.	& statist. epidemiology		psychiat.	psychiatry, psychiatric
etiol.	& pathogen. etiology and pathogenesis		psychol.	psychological, psychology
exam.	examination		psychosom.	psychosomatic
excis.	excision		regen.	regeneration
for. bod.	foreign bodies		rehab.	rehabilitation
form.	formation		rel.	relations
fract.	fractures		roent.	roentgenography
Gt. Brit.	Great Britain		rupt.	rupture
gyn.	gynaecology		sanit.	sanitation
hemorrh.	hemorrhage		seq.	sequels
hered.	heredity		serv.	services
hist.	history		soc.	social
hospt.	hospitals, hospitalization		standard.	standardization
hyg.	hygiene		statist.	statistics
immun.	immunity		strict.	stricture
in child.	in childhood		surg.	surgery, surgical
indust.	industrial		tech.	technique
infarc.	infarction		ther.	therapy
infect.	infection, infectious		thromb.	thrombosis
			tox.	toxicity
			transm.	transmission
			transpl.	transplantation
			traum.	traumatic
			U. S.	United States
			wds.	wounds



CURRENT LIST OF MEDICAL LITERATURE

SUBJECT INDEX

Vol. 16, Nos. 4-6 (pp. 241-480)

February 25, 1949

- ABDOMEN**, acute dis. 344d,440n; pain 370h; surg. 258v,259a,374u,377r; tumor 264v,313l; wds. & inj. 397s
- ABNORMALITIES AND DEFORMITIES**, 460g; con-gen. 259g,271m,314v,389t,389h
- ABORTION**, 282t,306r; Boero 393v; compl. & seq. 341f,416b,434s; indication 336a; ther. 259o
- ABSENTISM**, 306e
- ACANTHOCEPHALUS RANAES SCHRANK**, 417j
- ACANTHOSIS**, 252r; nigricans 342d
- ACCELERATOR**, 254b
- ACCIDENTS**, 421a; drivers 307k; med. stat. 379v; prev. 269c
- ACETANILID**, tox. 286k
- ACETYLCOLINE**, 332o,462q,466e; eff. 344s,386o,453d
- ACID**, adenylpyrophosphoric 372k; amino-benzoic 278r; biliary, metab. 272b; nucleic 418i; oxalic-acetic 425c,425d; pantothenic 255c; succinic, eff. 366f; sulfuric & derivatives 254n; tannic 304q; tartaric 255j
- ACID-BASE EQUILIBRIUM**, 283t,467s
- ACNE**, 262i,414u; conglobata 414f; ther. 274p
- ACRIDINES**, eff. 466b
- ACRODYNIA**, etiol. & pathogen. 389w
- ACRYLIC RESINS**, dent. 250t
- ACTIDIONE**, eff. 256d
- ACTINOMYCOSIS**, cervicofacial 251t,448r; in inf. & child. 298r; pulmonary 298r,447v
- ADAMANTINOMAS**, 251h
- ADDISON'S DISEASE**, 276h,279j; inf. & child. 463f; ther. 441a
- ADENOMA**, inf. & child. 390n
- ADENOIDS**, excis. 423s,-compl. & seq. 295i
- ADENOPATHY**, diag. 464d
- ADENOSINE TRIPHOSPHATE**, exper. 444k
- ADIPONECROSIS SUBCUTANEA NEONATORUM**, 376k
- ADOLESCENCE**, psychol. asp. 389d; psychosomatic dis. 357-1
- ADRENAL CORTICOIDS**, metab. 444k
- ADRENAL PREPARATIONS**, eff. 301v,307g,343d,386i,386o,444b,465r,468c,468n,591s; prod. 466d; ther. 283m; tox. 342c
- ADRENALS**, cortex 291n,-pathol. 359r; dis. 389u; exam. 313t,374-1; hyperplasia 385s; insuff. 359i, -in child. 390c; physiol. 369a,468n; tumor 348b
- ADRENOCORTICOTROPHIC HORMONE**, eff. 444p
- ADSORPTION**, 416m
- AEDES**, aegypti 322n
- AEROSOLS**, 331u
- AGAR**, 333l
- AGARICS**, 241n
- AGGLUTINATION**, 316n; eff. of alexins on 387u,387v,388c,388o,388p
- AGGLUTININS**, 387q
- AGRANULOCYTOSIS**, 263c; etiol. & pathogen. 286o,387n
- AGRAPHIA**, etiol. & pathog. 455f
- ALBUMIN**, 304t,306q,332p; defic., ther. 315l; de-term. 288e; fetal 337p
- ALCOHOL**, 288u,353n; tox. 280a
- ALCOHOLISM**, 358b; compl. & seq. 455v; prev. 376m; ther. 275k,286g,290i
- ALEXINS**, eff. 387u,387v,388c,388d,388o,388p
- ALGAE**, marine 333j
- ALKALINE EARTH**, 333n
- ALKALOIDS**, determ. 303p; eff. 305c
- ALLANTOIN**, 468k
- ALLERGY**, 262d,288i,342s,354s,368h,379k,385d,426v; antipyrine 463g; bibliogr. 424n; blood in 427r; determ. 321d,321f; diet 340a; exper. 322c,463h; hist. 378s; in child. 357n; physical 321j,373d; respiratory 321k; ther. 391c,437j,442h,443t,444p
- ALLOXAN**, eff. 334d,372t
- ALTITUDE**, eff. 305n,452f
- ALUMINUM AND COMPOUNDS**, 256r
- ALVEOLECTOMY**, 281i
- ALVOLOPIA**, 364c; hysterical 293-1
- AMEBIASIS**, 263s,271k,311g,374p; epidemiol. 435v,477w,478a; pulmonary 427l; surg. asp. 358r; ther. 442r
- AMENORRHEA**, ther. 259b
- AMETHOCAINE HYDROCHLORIDE**, 426p
- AMIDRYL**, ther. 286n
- AMINO ACIDS**, 253f,255o,256a,391e,417h,419d; eff. 314s,446g,446m; in blood 465v; sulfur-containing 418r
- AMINOPHYLLINE**, 358q; ther. 369s
- AMINOPYRINE**, 437j
- AMMONIA AND AMMONIUM COMPOUNDS**, 293m,311j,467a,420j
- AMPUTATION**, 370p
- AMPUTATION STUMPS**, pain 273g
- AMYCAL**, ther. 376h
- AMYLASE**, 391p
- AMYLOIDOSIS**, 460e
- ANALGESIA**, obstetric 351a
- ANAPHYLAXIS**, 287o; exper. 392f
- ANAPHYLAXIS AND ALLERGY**, 295g,372u
- ANATHROMBASE**, 273h
- ANDROGENESIS**, 322e
- ANDROGENS**, 415r; eff. 403k,468f,468g,468h,468j; gyn. 474f; metab. 444j; ther. 374d,423g
- ANEMIA**, aplastic, congen. 390g; etiol. & pathogen. 279g,370s; macrocytic; 435d; hemolytic 379n,437k,-in premature inf. 390v; in pregn. 259h,-ther. 351g,379t
- ANEMIA, PERNICIOUS**, 259h,282e,282f; etiol. 285n; ther. 261c,285o
- ANEMIA, SICKLE CELL**, 363j,432f,464e; splenic 427b,-inf & child. 389r; ther. 278o,288i,339c,351f,390i,445i
- ANENCEPHALUS**, 267j
- ANESTHESIA**, 276t,304g; appar. for infants 426s; avertin 285m; barbital & deriv. 355n,424v,434i; caudal, failure 401-1; compl. & seq. 269n,310u,310w,311a,341w; curare 361a,365d,370j; cyclo-propane 311a; endotracheal 370,401k,401o; ether 259g; general 311d; hist. 311e; in dent. 251p,328n,329-1,329r,330n,413j,-compl. & seq. 250h,328-1,329r; in obst. 259m,276w,335k,335-1,335m,335n,434h,434i,434o; inf. & child., inj. 401m;

- infiltration 434n; inhalation 372q; local 269c, 272w, 293h, 328n, 357e; --compl. & seq. 295q; morphine, eff. 385u, 385v; nitrous oxide 262i, 361a; pentothal 361a, 412r, 434o; peridural 336n, 401k; post-operative care 343m; procaine 336n; premedication 279t, 433d; refrigeration 423s; scopolamine, eff. 385u, 385v; spinal 339c, --compl. & seq. 287t, --continuous 430c, --diag. 263c, --eff. of drugs on 401n, --in obst. 259m; techniques 448n; therapeutic 370v; trichloroethylene 378h; trilene 335m
- ANESTHETICS**, eff. 392j; intravenous 254j; tox. 392i
- ANETHOLE**, 417e
- ANEURYSM**, 386q, 447g, 474s; cerebral 359f, 382g; ther. 396i, 475e; traum. 474s, 475d
- ANGIECTASIS**, 414v
- ANGINA**, 344v
- ANGINA PECTORIS**, 422q; electrocardiogram 404h; ther. 423b; Vincent's 315s
- ANILINES**, ther. 318c
- ANIMAL HUSBANDRY**, West Africa 396b
- ANKLE**, fract., ther. 439r; osteochondritis 439u; surg. 473g
- ANKYLOGLOSSIA**, congen. 300m
- ANOPHELES**, 322r, 334w; control 305g, 418u, 426q, 478-l; maculopennis 317d, 317e, 335g; sex de-term. 335g
- ANTHELMINTICS**, 278j
- ANTHRAQUINONES**, 392o, 392r
- ANTHRAX**, 457o; bacilli 379s
- ANTHROPOMETRY**, Guatemala 401u; Peru 380r
- ANTIBIOTICS**, 278v, 321q, 321s, 322i, 354a, 384q, 368t, 388e, 391a; eff. 341n, 399c, 442v; ther. 279a, 294g
- ANTIGENS AND ANTIBODIES**, 287o, 376a, 419g, 421h, 421n, 453w, 444-l; in fish 307s
- ANTISPASMODICS**, 303n, 315e
- ANTI-VITAMINS**, 417g
- ANTROTOMY**, compl. & seq. 295h; tech. 296g
- ANURIA**, ther. 265s
- ANUS**, abnorm. & deform. 314d; fissure 269g; pre-terminal 312p; prolapse, in child. 396n; bac-teriostatic agents in surg. 397-l; vaginal 441q
- ANXIETY**, in child. 289c, 289f
- AORTA**, abdominal 440s; --aneurysm 323t; abnorm. 389s; aneurysm 282n, 311o, 323q, 361e, 385q, 396r, 475-l; atresia 323r; stricture 276o, 350a; surg. 447h
- APE-MAN**, 418f
- APHASIA**, 384h; etiol. & pathog. 455f
- APPENDECTOMY**, 349k; indic. 362t
- APPENDICITIS**, 269p, 310-l, 440c; compl. & seq. 286s, 393u; diag. 270l; in child. 390n; in newborn. 300w; parasitic 441r; ther. 366c
- APPENDIX**, cancer 363o; mucocele 342e; radiogr. 437w; tuberculosus 438q
- APRAXIA**, 455e
- APTITUDE**, tests 381q, 469k
- ARACHNIDISM**, ther. 279r
- ARACHNITIS**, 341c; diag. 351o; spinal 369f
- ARACHNODACTYLY**, 360k
- ARGINASE**, 468e, 468g, 468h
- ARITHMETIC**, aptitude tests 381q
- ARM**, fract., ther. 311h
- ARNOLD-CHIARI DEFORMITY**, 471h
- ARRHYTHMIA**, 243b, 283u, 363m
- ARSENIC AND COMPOUNDS**, eff. 302c; metab. 445g; tox. 440d, 452c
- ARSPHENAMINE**, tox. 437i
- ART THERAPY**, 456g
- ARTERIES**, inflamm. 475g, 475h; ligation 396i; surg. 476o, 476s
- ARTERIOGRAPHY**, 474s, 474w
- ARTERIOLAR SCLEROSIS**, 265o
- ARTERIOSCLEROSIS**, 268h, 273m, 372i; cerebral 381s; etiol. 372o, 422t; exper. 460s; ther. 302d
- ARTERIOTHERAPY**, 447i
- ARTERITIS**, surg. 442t, 476p
- ARTHROSIS**, 289-1, 358s, 360k; acute 350f; metab. 431d; rheum. 263w, 279p, 369c, 385o; ther. 267p, 289j, 423v, 430m, 450h, 450i, 473f
- ARTHRODESIS**, 311h
- ASBESTOSIS**, compl. & seq. 322w
- ASCARIASIS**, compl. & seq. 264-1, 341b; immun. 394n
- ASCARIS**, lumbricoides 242o
- ASCITES**, 310t; diag. 253i; fatal 260o
- ASCORBIC ACID**, 415b, 431d; determ. 393a
- ASEPSIS**, dent. 252b
- ASPERGILLUS**, niger 241q
- ASPIRIN**, tox. 356b
- ASTEREOCOGNOSIS**, 381m
- ASTHENOPEDIA**, 451p
- ASTHMA**, 262i, 376g, 381b, 430p; exper. 280c; in child. 279n, 300s, 347p, 431n, 465m; surg. 352t; ther. 340c, 448e
- ASTIGMATISM**, 292i, 292n, 292o
- ASTRAGALUS**, fract. 311i
- ATABRINE**, ther. 282c, 323m
- ATALECTASIS**, etiol. 471s
- ATOMIC ENERGY**, 270o, 417n, 418w, 419w, 447s
- ATRESIA**, 297i
- ATROPINE**, eff. 292n
- AUDIOMETRY**, 384d, 454e
- AUREOMYCIN**, 356s, 444q; ther. 270-1, 282c, 464r, -oral 282d
- AUTOMOBILES**, pub. health asp. 307-1
- AUTOPSY**, 378v
- AUXIN**, 256c
- AVIATION MEDICINE**, 376q, 402d, 402e, 402i; dent. 251e; hygiene 265u; flight surgeon 402i; kidney function 467t; nervous system 451p; research 402j
- AVIATORS**, 402g
- BACILLUS MEGATHERIUM**, exper. 316o
- BACILLUS PRODIGIOSUS**, cancer exper. 403h, 403i
- BACILLUS SUBTILIS**, infect. 292e
- BACKACHE**, 277a
- BACKACHE-SCIATICA SYNDROME**, 289h
- BACTERIA**, 307r, 308f, 398w, 448-l; coli 307s, 417t; culture mediums 308e, 333t, 405d; --appar. 333-l, 333t; eff. of supersonic waves on 332u; lactic acid group 275d; metab. 321o; plant 321u; sulfate-reducing 417s; typhoid group 387c; variants 387a
- BACTERIOPHAGE**, 316j, 316k, 316p, 332q, 396d
- BAL**, 279o, 452j
- BANCROFT, JOSEPH**, 436o
- BANG'S DISEASE**, surg. 285i; ther. 390-1
- BARRITAL AND DERIVATIVES**, 270u; eff. 417m; tox. 424m
- BARTHOLINITIS**, 373v
- BASAL METABOLISM**, 281g, 301u, 432r; appar. 394u
- BASOPHILISM, PITUITARY**, compl. & seq. 381t
- BATH**, hot, ther. 289b
- BED BUGS**, 316v
- BEES**, 332n; psychol. 241v
- BELLADONNA**, determ. 391m
- BENZEDRINE**, 391q
- BENZENE**, ther. 318f
- BENZOPYRENE**, 280t; metab. 323e
- BENZOPYRONE**, 388q
- BERIBERI**, 446, 461u
- BERMAN LOCATOR**, 293o
- BERYLLIUM**, tox. 359j

- BEZOAR**, radiodiag. 310e  
**BILE**, acids & salts 346b  
**BILE DUCT**, cystic 474a; adenocarcinoma 430d;  
 bact. 379-l; roent. 396s; strict. 443n  
**BILE PIGMENT**, form. 418o  
**BILIARY TRACT**, atresia 464o; dis. 371t, 473d;  
 surg. 312d  
**BILIRUBIN**, in child. 462c  
**BINET TEST**, 469k  
**BIOLOGISTS**, 333d  
**BIOLOGY**, in engineering 254i; Institute 333e;  
 study & teach. 417n  
**BIRTH CONTROL**, 336e  
**BISMUTH**, ther. 360a  
**BISTRIMATE**, ther. 331i  
**BISTRIMETHYLLAMMONIUM DECANE**, 351j  
**BLADDER**, abnorm. 307h; calculi surg. 314f; can-  
 cer 431g, 439v, --radiother. 479w; cystitis cystica  
 479u; dis. 368p; diverticula 318b; drainage 367k;  
 exstrophy surg. 479t; hemorrh. 431m; hernia,  
 surg. 477g; neck, obstruction 437c; rupt. 473c;  
 surg. 318e, 359r; tuberculosis 361q; tumors  
 318c, 318f  
**BLASTOMYCOSIS**, 265k, 342m  
**BLIND**, drama 368n  
**BLINDNESS**, 382w; sudden 354o  
**BLINKING**, 417e  
**BLOOD**, 263c, 328r; cells 267h; chem. 363q; chemo-  
 therapy 284d; cholesterol 415m, 419p; coagulation  
 251d, 283s, 366d, 372q, 427v, 444d; coagulation test  
 432k; dis. 433b, 446u, --compl. & seq. 366h; ther.  
 375b; eff. of cholines in 363i; exam. appar.  
 304u; fibrin 425c; gas equilibrium 305o; genetics  
 335e; groups 333u, 345t, 401t, --B factor 423k, --  
 in Fuegians 332z; histamine 263a, 373a; iodine  
 415m; platelets 287u, 419r; potassium determ.  
 345p; sediment. rate 285p; specific gravity 460k;  
 urea 473n  
**BLOOD CIRCULATION**, 254v, 475c; determ., appar.  
 432n; dis. 395e; function tests 262b  
**BLOOD PRESSURE**, 289e; exam. 354d; intracar-  
 diac 323h; recording 432m  
**BLOOD PRESSURE, HIGH**, 263d, 273m, 286l, 336r,  
 347a, 358o, 428b, 430f, 446v; diet. ther. 347h; etiol.  
 & pathogen. 344t, 359t, 372i, 372o, 425u; exper.  
 446g; pathol. 378b; pulmonary 428m; renal  
 435a; surg. 348b, 350p, 373-i, 404i, 437o; ther.  
 283w, 310j, 349u, 366b  
**BLOOD PRESSURE, LOW**, acute 477b; postural  
 280r  
**BLOOD PROTEIN**, determ. 421o; infants 389-l  
**BLOOD SUGAR**, 429c, 555f; chem. 445e; determ.  
 359o; low 275g, --ther. 449b  
**BLOOD TRANSFUSION**, 343k; compl. & seq. 315v,  
 422s, 423s; preop. & postop. 396n; reactions  
 439m  
**BLOOD VESSELS**, dis. 474p, 475h, --ther. 397g; in-  
 suff. 347n; roent. 474n, 474o, 474p, 474q, 474r,  
 474t, 474u, 474w; surg. 270k, 379f, 475b, 475e, 475i,  
 475j  
**BOILS**, 343v; in child., compl. & seq. 461o  
**BONE**, atrophy 441o; dis. 281k, 366s, 449j, --diag.  
 284p; exam. 280s; fibroma 279v; fossil 401r,  
 416b; growth 306u; traum. 241g; morphol. 401s;  
 roent. 340k; surg. 287j, 477b; tuberculosis 276b,  
 300k, 307d, 373j, 438q; tumor 279i, 352c, 414o,  
 427i, --diag. 352d, --metast. 365b, --pathol. 352e,  
 --ther. 352d  
**BONE MARROW**, diag. 387b; insufficiency 353-l;  
 puncture, in child. 280d  
**BORON**, disintegration 405r  
**BOTANY**, explorations in Patagonia 332v  
**BOTANY, MEDICAL**, 304i  
**BOWEN'S DISEASE**, 414j  
**BOXING**, inj. 287e
- BRAILLE**, 352q  
**BRAIN**, abscess 291h, 295r, 296o, 296s, 296u, 378h,  
 381o, --ther. 296m; animals 290u, 290v; atrophy,  
 roent. 289q; blood vessels, occil. 452d; blood  
 circ. 263n, 452h, --dis. 367i, --spasm 382u; con-  
 cussion 451u; cortex 290v, 453f, 454m, 454n, 454p,  
 454q, 455a; dielectrolysis 276m; dis. 261u, 452b;  
 embolism 339g; frontal lobes 454j, 454k, 454o,  
 454u, 455b, 455i, 455q, --psychol. asp. 454i, 454w;  
 hemorrh. 258e, 349h; localization of functions  
 454r; meningioma, surg. 433n; physiol. 304p,  
 340h, 388s, 451w; roent. 291i, 310d, 365o; surg.  
 287r, 291g, 340r, 340g, 454s, --instr. 453a; tuber-  
 culoma 399a; tumor 264k, 294s, 363t, 452v, 453k,  
 453o, 453p, --compil. & seq. 385c, --diag. 351p,  
 382t, 442q, --hemorrh. 453b, --metast. 452u; ven-  
 tricle, epidermoid 471l; waves, abnorm. 291m;  
 wds. & inj. 287e, 314c, 389n, --gunshot 452r
- BRANDY**, aging artificial 332e
- BREAST**, abscess 273b; cancer 287c, 374d, 397j,  
 397k, 390q, 428v, 431g, --metast. 428f, 452t, --patho-  
 gen 434p, --statist. 322v, --surg. 264i, 314e; cysts  
 428o; dis. 314k, 414f; inflamm. 426o; surg. 359p;  
 tumor 276s
- BROAD LIGAMENT**, hematoma 439k
- BROMINE AND COMPOUNDS**, 392e; ther. 346c;  
 tox. 290c, 331u
- BRONCHI**, cancer 265m, 471t, --surg. 287g, 378k  
 epithelioma, metastasis 472d, 472f; for. bod.,  
 diag. 358i; rupt. 268c; tumor, diag. 471r
- BRONCHIECTASIS**, 270i, 271c, 449c; in child. 274v,  
 286c, 464u, --indic. 343g, 365c, 380k, 471v
- BRONCHODILATORS**, 302b, 302d, 302f
- BRONCHOPNEUMONIA**, 441o, 441v
- BRONCHOSCOPY**, 342-1, 365s; accidents 471s;  
 anesthesia 342u; in tuberculosus 300q
- BRONCHOSPASM**, ther. 392b
- BRUCELLOSIS**, 263j, 355n, 442f, 446-1; cardiovasc.  
 symptoms 431s; chronic 351a; liver, pathol.  
 432c; ther. 429p; in child. 274c; ther. 394j, 448n,  
 476-1, 478v, 476n
- BURSITES**, 288-1; calcareous 439v
- Caffeine**, 299o
- CAFFEY-SMYTH SYNDROME**, 267o
- CALCIFEROL**, 255c
- CALCIFICATION**, 275s; pulmonary 395v
- CALCIUM**, defic. 300v; eff. 305e
- CALLIPHORA**, mutation 418t
- CALORIES**, 289a
- CALORIMETRY**, 305f
- CANCER**, 314r, 356r, 357a, 389o, 370u; adeno. 257i,  
 338k, 369b; blood chem. 445j; blood in 323a;  
 breast 264f, --metastasis 452t, --statist. 322v;  
 bronchus 359q, 471t; ear 297b; cells 460-1; cervix  
 257i, 350u, 358u, --diag. 340j, --pathol. 357a, --progn.  
 393w, --radiother. 471c, 471e, 471g, --surg. 471l;  
 chemotherapy 435o; clinics 342t; colon, surg.  
 473s; diag. 260i, 275b, 343a, 347d, 356p, 358i, 376j,  
 377p, 378m, 431-i, 421b, --vag. smear. 257w, 340j;  
 dig. tract., diag. 448b; etiol. & pathogen. 373a;  
 exper. 254s, 280t, 403v, 444f; gallbladder 362c;  
 genetics 445i; histol. 344m, 344j; immun. 421m;  
 in child. 300p, 339v, 356q; larynx, radiother. 296b,  
 296d; lips 309o; liver 262m, 310o; lung 280g,  
 322w, 339m, 359u, 368g; mediastinum 472b; metas-  
 tases 428d, 428i; mortal. 307a, 393m; pancreas,  
 surg. 473u; precancer 436g; prev. & control.  
 309u, 369v, 369w; prostate 358-1; pylorus 322v;  
 radiother. 309-1; rectum 278j, 310p, --metastasis  
 449v; research 470g; skin 252g, 340q, --etiol.  
 404b; stomach 473r; surg. 314n; ther. 277v, 309n,  
 312s, 316e, 377p; thyroid 477f; transpl. 446b;  
 uterus 257j, 322u, 358w, 361n, 471d, 477e; vulva 342u
- CANDIDA TRUNCATA**, 414-1

- CAPILLARIES, 323p, 345s  
 CAPILLARY CIRCULATION, 307c  
 CAPSAICIN, determ. 392p, 392s  
 CARBARSONE, eff. 334i  
 CARBOHYDRATES, metab., in child. 299s, 299t  
 CARBON, 392v  
 CARBON DIOXIDE, 256k; eff. 257c, 380u  
 CARBON MONOXIDE POISONING, 294r, 315-1, 354c,  
 354f, 379n; blood exam. 331v  
 CARBUNCLE, etiol. & pathogen. 472d, 323c  
 CARDIA, surg. 371p  
 CARDIAZOL, eff. 386k, 386-1, 386n  
 CARDIOLOGY, progr. 428o  
 CARDIOSPASM, surg. 436s  
 CARDIOVASCULAR DISEASES, 364d; congen. 279u,  
 297i, 300g; psychiat. aspects 380v; ther. 423h  
 CARDIOVASCULAR SYSTEM, abnorm., diag. 300h  
 CARIES, 252i, 252g, 252h; prev. 252i  
 CARONAMIDE, ther. 435i, 465m  
 CAROTID BODY, tumor 311t  
 CAROTID SINUS, syncope 346p; syndrome 434n  
 CARRION'S DISEASE, 369p  
 CARTILAGE, 460g  
 CASEIN, 465r  
 CASTRATION, eff. 468e  
 CATALYSIS, 303b  
 CATARACT EXTRACTION, 293j; compl. & seq.  
 293n; tech 377s  
 CATHARTICS, eff. 462a, 465u  
 CAUDA EQUINA, 274s  
 CAUSALGIA, 266o  
 CAUSTICS, inj. eff. 297b  
 CECUM, dis. 268i  
 CELLS, explanation 404a; plant 418v; wool roots  
 416u  
 CELLULITIS, 269f  
 CEMENT, dental 250m  
 CEREAL PRODUCTS, fat content 332c  
 CEREALS, neuromuscular eff. 331s  
 CEREBELLA ARTERY, 44ic  
 CEREBELLUM, 256k; dis. 290s; tumor 382a  
 CEREBROSPINAL FLUID, 451u, 451v; exam. 299k  
 CERVIX UTERI, cancer 257i, 350u, 358u, --diag. 340i,  
 --pathol. 357a, --progn. 395w, --radiother. 309p,  
 375j, 471c, 471e, 471g, --surg. 471f; conization 257t;  
 obstruct. 314o; ulcers 309s  
 CESAREAN SECTION, 335o, 432q; anesthesia 272v,  
 335k; compl. & seq. 314t; effect on infant 430t;  
 indic. 377t  
 CHAOS, 374t  
 CHAUFFEURS, 307k; med. exam. 307j  
 CHEEK, tumor 309o  
 CHEESE, 254r  
 CHEMISTRY, hist. 416j; indust., forensic 332h; re-  
 search 303k  
 CHEMOTHERAPY, 286s, 321q, 336-1, 339d, 439i; eff.  
 329s  
 CHERNEY'S INCISION, 396t  
 CHICORY, 393g  
 CHILD WELFARE, 298a, 306f, 308h, 556c  
 CHILDREN, backward 439c; care & hyg. 292d; crip-  
 pled, educ. 465b; deaf, care & rehabilitation 366o;  
 dent. 328o; develop. & growth 292k, 412k; dis.  
 389m, 542d, 299a; drama 366n, 470d, nutrition 298e;  
 problems 339w; resilience 277u; tumor 309o  
 CHIN, plast. surg. 413n  
 CHLAMYDOMONAS, sexuality 256h  
 CHLORAL HYDRATE, 392e  
 CHLORDANE, 470s  
 CHLORINE, 448i; tox. 356g  
 CHLOROSIS, of bananas 333h  
 CHOLANGITIS, 287s  
 CHOLECYSTOSTOMY, 287i  
 CHOLERA, 316-1; epidem. 426a, 435v  
 CHOLESTEATOMA, compl. & seq. 385c  
 CHOLESTERINE, 356i; metabolism 305-1  
 CHOLINES, eff. 322d, 363i  
 CHOREA, 451i, 452a; chronic 262-1  
 CHORIOEPITHELIOMA, etiol. & pathogen. 442u  
 CHORIOMENINGITIS, 286r  
 CHOROID, cytol. 418k  
 CHOROIDITIS, path. 293d  
 CHROMATOGRAPHY, 294c, 417o  
 CHROMOSOME Y, 418i  
 CHROMOSOMES, 255o, 335b, 419a; chem. 445o  
 CIBAZOL, 386c  
 CESTERNA MAGNA, punct. 384s  
 CITRININ, synthesis 418m  
 CITRUS FRUIT, 456r  
 CLASMATOCYTES, 388j  
 CLIMATE, 308b  
 COARCTATION, aortic, in child. 359c  
 COBALT, 309o, 354n  
 COCCIDIODIMYCOSIS, eye in 293j  
 COCCIDIOSIS, 460n  
 COCHLEA, cysts & infarcts 294t  
 COD LIVER OIL, 303i  
 COLCHICINE, eff. 417t, 466r; reaction 334a  
 COLD, 373d; eff. 367p, 476q  
 COLECTOMY, 311k  
 COLITIS, ulcerative 283n, 315r, 342g, 346-1, 473v  
 COLLEGE STUDENTS, eye health 347i  
 COLLOID, electrolysis 416n  
 COLON BACILLUS, culture 446e; metab. 465s; can-  
 cer 397m, 397w, 438j, 473-1, --surg. 313-1, 397-1,  
 442e, 473s; dilatation 276h, 282i; dis. 268u, 282a,  
 356u; diverticulitis 477e; lipoma 443n; surg.  
 397n; tumor 281u, 424q  
 COLONIC DEVICE, 420e  
 COLOR BLINDNESS, 458m; tests 382n, 402h  
 COLOR PERCEPTION, 469c  
 COLOSTOMY, 343a, 397m, 456k; compl. & seq.  
 311c  
 COMA, diag. 347m, 384c; in child. 464g  
 COMMON COLD, 435a  
 COMMUNICABLE DISEASES, in child. 268m; in  
 pregn. 425-1; resistance 469w  
 COMPLEMENT, 321s; fixation 308a  
 CONDYLOMA, ther. 378r, 414p  
 CONJUNCTIVA, for nod. 359n; pathol. 458o  
 CONJUNCTIVITIS, 339k, 382r  
 CONSCIOUSNESS, 351e, 434t  
 CONSTIPATION, ther. 347h  
 CONSTITUTIONAL TYPES, 374g  
 CONTACT LENS, 276v, 457q  
 CONVALESCENCE, nutrition 357s  
 CONVULSANTS, dosage 372b  
 CONVULSIONS, 256k, 451u; diag. 365u; exper. 291k,  
 425c, 451m; ther. 346c, 391f  
 COOKING AND EATING UTENSILS, 467b  
 COOKING, eff. 456s, 456t, 456u, 457a  
 COOPER AND COMPOUNDS, 332d; ther. 371d  
 COPRINUS, 241r  
 COP PULMONALE, 269p, 426u; electrocard. 426c  
 CORAMINE, eff. 386k, 386-1, 386m  
 CORNEA, excised, storage 445d; pathol. 458r; surg.  
 272k, 352h, 447b, 457-1; ulcers 292-1; wds. & inj.  
 293m  
 CORONARY ARTERY, dis., symptoms 439p, 440m  
 CORONARY THROMBOSIS, 279p  
 CORONARY VESSELS, 370r; dis. 262q; insuff. 437h;  
 thrombosis 349-1  
 CORPUS LUTEUM, 259k  
 COSMETICS, 303w, 304a; accidents 434f  
 COSMIC RAYS, 333e; eff. 418e  
 CRANIUM, abnorm. & deform. 397e, 474d; fract.  
 283j; osteoporosis 241k; pressure in. 387j; re-  
 tothelioma 434m; roent. 375i; syphilis 381w; wds.

- & inj. 299t, 430q, 473n  
**CREATININE**, metab. 345o  
**CRIME AND CRIMINALS**, 253v, 290m, 381h  
**CRIME AND SEX**, 332h  
**CRIPPLES**, 242j  
**CROWN**, dental 251j  
**CRYPTOCOCCOSIS**, ther. 421k  
**CURARE**, 275e; ther. 271s  
**CURRENT LIST**, index 353u  
**CUSHING'S SYNDROME**, 272u, 385s  
**CYANIDE**, tox. 385r  
**CYANOSIS**, congen. 285c  
**CYCLOTHYMIA**, 290n  
**CYREN-A**, ther. 306v  
**CYSTIN**, dis. 461s  
**CYSTOSCOPY**, hist. 438g  
**CYSTS**, dermoid 295t, 310c; hydatid 311d, --orbit 352h, jaws 343g; max. sinus, surg. 363d  
**CYTOCHROME**, 263-1, 375v  
**CYTOTOLOGY**, 337s  
**CYTOMYCOSIS**, 391g  
**DDT**, 264h, 269j, 395k, 478i, 478k; eff. 322p, 242m, 242n; tox. 270d, 417j, 422d  
**DACRYOCYSTORHINOTOMY**, 383w  
**DANSK TANDLAEGEFORENING**, 413t, 413u  
**DARK ADAPTATION**, 383g, 383m  
**DEAD IDENTIFICATION**, dent. asp. 460m  
**DEAFNESS**, 265o, 467c; clinics 293s; in child. 366o, 384m, 465a; occupational 294u; prev. 347k, 357u, 379b; surg. 296h, 296j, 369g; ther. 295k, 459k  
**DEATH**, causes, Holland 470w; prenatal 322h; sudden 415v, --inf., newborn 389p  
**DECIDUOMA**, 443w  
**DECOMPRESSION SICKNESS**, exper. 453a  
**DEFENSE**, 279b  
**DEFICIENCY DISEASES**, 378n  
**DEGENERATION**, myxomatous 367f  
**DEHYDROGENASE**, 271e  
**DEHYDRATION**, 392o  
**DELINQUENCY**, 416f, 450o, 453t  
**DEMEROL**, 275n, 342c  
**DENGUE**, 443b; test 444s  
**DENTAL HEALTH**, 329o, 329n  
**DENTAL IMPRESSION**, materials 329f, 329p  
**DENTAL MODELS**, 250p  
**DENTAL PATIENT**, 330j  
**DENTAL PROTHESIS**, immediate 331b; ther. 330u  
**DENTIN**, abnorm. 414a; protection 250h  
**DENTISTRY**, 250f, 250g, 251w, 330p, 412v; appar. 251u, 328s, 330w, 412k, 412m; associations 413u; Canada 329o; diag. 251f; economics 331f; educ. 329s, 413a, 413v; hist. 329e, 447o; Denmark 413s, 413u; child 413q; licensure 329u; military 377a, 413v; prev. 377c; publications 413u; relations 437s; research 412s; roent., children 330e; soc. asp. 304k; social 413v; specialization 329t; U. S. 330v, 331e  
**DENTIST**, hand disinfection 328s  
**DENTURES**, retention 251-1  
**DEPILATORY DEVICE**, 420g  
**DEPRESSION, MENTAL**, ther. 290p, 350q; impractice 342p  
**DERMATITIS**, 414-1, 45d, 425m; allergic 436i; atopic, ther. 436j; cercarial 395g; **ERYTHEMATOSA BULLOSA**, etiol. 368h; exfoliative 424g, 436h, in Moroccans 368b; occup. 470s; tropical lichenoid 367e  
**DERMATOLOGY**, clinics 280m; drugs 436m; France 338m; relations 436n; Sweden 280n  
**DERMATOME**, Padgett's 378e  
**DERMATOMYOSITIS**, 436c, 442i  
**DERMATOPHYTES**, eff. of pH on 367w  
**DERMATOSIS**, allergic 436-1; progressive pigmentary 366w; ther. 278r  
**DESOGEN**, resistance 371w  
**DESOXYCORTICOSTERON**, 305g; tox. 419n  
**DESOXYPYRIDOXINE**, ther. 261a  
**DEUTERIUM**, splitting 405r  
**DEVELOPMENT AND GROWTH**, 241i  
**DIABETES**, 263v, 269m, 280i, 284v, 285q, 456b; acidosis 428d, 434v; alloxan 446a, 466f; comp. 300o, control 456k, diag. 351m; endocrine asp. 286m; exper. 440w; gangrene 476s; in child 347m, 360m, 464t; in pregn. 426g, 426h; insipidus 434f; metab. 432i; ophth. 383a; renal 287k; surg. 284o; test 299m; ther. 429e, 265n, 266e, 377m  
**DIAGNOSIS**, in dem. 329-1  
**DIARRHEA**, eff. 462o; epidem. 424r; infants 301e, 301i, 301j; mortal. 395r; psychosom. 454a  
**DIATHERMY**, 416l, 477j, 477k, 477m  
**DIATHESIS**, 287r; exudative 299u; hemorrh. 266f, --compl. 452v  
**DIAZOAMINOBENZENE**, tox 323d  
**DIBUTOLINE**, 432j  
**DICHLORDIETHYL SULFIDE**, 332r  
**DICHLOROPHOXYACETIC ACID**, eff. 467h  
**DICUMAROL**, eff. 444w, 445b; ther. 311k; tox. 347q, 364w, 476-1  
**DIET**, 342b; bland 271-1; hist. 420n  
**DIETHYLAMINOETHANOL**, 392a  
**DIETHYLSTILBESTEROL**, eff. 391j, 444e  
**DIGESTIVE TRACT**, cancer, diag. 277c, 448b; dis. 260q, 268w, --ther. 364k; for bod. 394c; innerv. 415j; perf., acute 358a; ulcer, 358k, 363v  
**DIGITALIS**, pharm. 436a, exper. 444a, 466m, 466n; tox. 360o; determ. 444t  
**DIHYDROERGOTAMINE**, 381j  
**DIHYDROXY-DIPENYLSULFONE**, eff. 391j  
**DILATORS**, rectal 347h  
**DIMETHYLAMINOAZOBENZENE**, 403f  
**DINITROPHENOL**, eff. 443u  
**DIPHTHERIA**, 297i; bacilli 388m, 402q; DIPHTHERIA, immunity 274j, 316f, 351h, 429v; ther. 298f, 315j, 394d; toxoid 393-1; transm. 461r; carriers 298i  
**DISABILITY**, 271o, 308j, 421v  
**DISCOMYCETES**, 241p  
**DISEASE**, 361h; blood in 361w; chronic 268v, 281e, 350o; diag. 357s; endocrine asp. 280k; epidem. 353m; hemolytic, in newborn 278t; mortal. 374t  
**DISINFECTANTS**, 269k, 301o, 321v, 398b  
**DISINFECTION**, 301o, 307t, 307v, 377h, 377i  
**DISULFIDES**, organic, photolysis 417m  
**DITHIOBIURET**, 334d  
**DIURESIS**, 259b, 301r  
**DOGS**, blood 263c; encephalitis 276p; hernia 241f  
**DOLOPHINE**, eff. 391q  
**DRACONTIASIS**, 265u  
**DRAMA**, for deaf child 366o; for blind 366m; for maladjusted child 366n; for ment. defic. 366n; hist. 366p  
**DRAWINGS**, psychol. asp. 380s  
**DREAM**, 290c  
**DROSOPHILA**, 257d  
**DRUGS**, 304m; admin. & dos. 305d, 386j; analysis 352j, 392s; anticoagulant, eff. 349h; anticonvulsant 263s; antihemorrh. 355i; antihistaminic 331p, 392f, 464-1; antithyroid, eff. 344p, eff. 330o; obstetric 353p; prod. his. 425g; research 304h; spasmylolytic 278n, 278s; sympatheticotic 271a, 304v, 391u, 391v; sympathicomimetic, eff. 401m; trade 302k, 302n  
**DUCTUS ARTERIOSUS**, 265e; surg. 314o; aspiration 350j; cancer 428r; cysts 397c; dis. 312i; fistula 365o; polypl 281t; ulcer 287s, 362s, 431q;  
**DURA MATER**, abscess 367n, 452c  
**DUST**, control 422a  
**DUST MASKS**, 354c  
**DYES**, microchem. 256b  
**DYSCHONDROPLASIA**, 427-1

- DYSENTERY, bacillary 390u,462q; --epidem. 402o; --in child. 465i,--seq. 437k; bacilli 308e; --pathol. 463j,--toxin 387d
- DYSKINESIA, ther. 340f
- DYSMENORRHEA, 259o,358q,424r
- DYSOSTOSIS, cleidocranial 297q, cleido-cranio-pelvic 301h; craniofacial 351n
- DYSPERSIA, 364p
- DYSTOCTIA, 258b,368k
- DYSTROPHY, MUSCULAR, 338f,381j,452d
- EAR, abnorm. 296k; barotrauma 250m; canal 361v; cancer 297b; --ther. 309n; devices 420f; dis. 354q; --diag. 296o,361h; internal 255h,378q,459q; --dis. 459g; irrigation 382q; syphilis 459o; tuberculosis 297a; tumor 414k; tympanic membrane 262o,369g
- EAR DRUM, perf. 385e
- ECLAMPSIA, 257m,258c,277b,358v; compl. & seq. 258a,273a; diag. 335p; in child. 359g; physiol. 341s; ther. 394a
- ECLAMPSISM, ther. 438i
- ECONOMICS, MEDICAL, 420t
- ECZEMA, 365p; allergic 435q; compl. & seq. 414v; etiol. & pathogen. 341q; exper. 252s; ther. 459i
- EDEMA, congen. 259p; gaseous 385h; in starvation 591s
- EDUCATION, humanistic 427f
- EDUCATION, MEDICAL, 269o,417n,435p
- EGGS, fertilized 417u
- ELASTIN, 414e
- ELBOW, surg. 473b
- ELECTROCARDIOGRAPHY, 268r,282p,323h,323-1, 323m,334g,341p,350b,358p,375u,404d,423l,424d, 447r,467w; U-wave 404g
- ELECTROENCEPHALOGRAPHY, 334g,360e,442q; in child. 357m
- ELECTROMYOGRAPHY, 417a
- ELECTRONARCOYSIS, 423i
- ELECTROPHORESIS, appar. 416p,419o
- ELEPHANTIASIS, 341i,448r; ther. 368i
- ELKOSIN, resistance 371w
- EMBOLISM, 291i,378c; amniotic fluid 356s; aortic 472t; arterial 475i; cerebral 475c; gas 373k; meconium 356s; pulmonary 314-l; surg. aspects 343s
- EMBRYOCTONY, 336s
- EMBRYOGENY, 402u,403a
- EMBRYOLOGY, 322g,437a
- EMETINE, 392h; eff. 271k; ther. 318c
- EMOTIONS, 454o,454r
- EMPHYSEMA, 337q,396-1; mediastinal 423o,447-1; subcutaneous 369m; surg. 352t
- EMPYEMA, in child. 461f,461g,461h,461i,461j; surg. 360u; ther. 278q
- EMULSIONS, 462m
- ENCEPHALITIS, allergic 444q; epidemic 350-1; exper. 256n,421i; in child. 464g; oogenous 294-1; parotitic 347r; postvaccinal 287h,298f
- ENCEPHALOMENINGOCELE, 443d
- ENCEPHALOMYELITIS, 271i
- ENDAMOEBA, histolytica 418q,478c; muris 418q
- ENDARTERITIS, obliterated 344g,441t; bact. 340s, 346u,424b,435f; compl. & seq. 341h; lenta 425s; ulceropolyposis 378c
- ENDOCRINE GLANDS, 288h,274n,280k,375a; dis. 359i,369k,387s; eff. 368s; reimplantation 345-1
- ENDOMETRIOSIS, 263k,284g,349o,396s,425u
- ENDOMETRITIS, 258c,258d
- ENDOMETRIUM, 260m; biopsy 282s
- ENDOPHLEBITIS HEPATICA, 261v
- ENTOMOLOGY, 322h,322n
- ENURESIS, etiol. 447v; ther. 281-1
- ENVIRONMENT, 303c,470j
- ENZYMES, proteolytic 427v; respiratory 254n
- EOSINOPHILIA, 368c,445a; in child. 301k
- EPIDERMOMIDS, 471i
- EPIDERMOLYSIS, bullous 367e,367g
- EPILEPSY, 278g,339e,341k,382a,426f,452s; abnorm. 442n; cortical 454m; etiol. & pathog. 452m; exper. 451-1; in child. 308j; prev. 345b; surg. 340g; ther. 263s,340e,429b; traum. 379w
- EPIPHYSES, surg. 449s
- PISTAXIS, puer. 448a
- EPITHELIOMA, ulcerous 272i
- ERGOT & ERGOT PREPARATIONS, eff. 263g,305a, 305c,323k,373g,466g; exper. 391o,465v; ther. 373c,466h
- EROSION, cervical 277h
- ERYSIPELAS, 272q
- ERYSIPELOID, 280-1
- ERYTHEMA, annular 414j; infect. 463e; multi-forme 415b,422v,440i,448s; ultraviolet 331k
- ERYTHREMIA, 346v,366c,422r
- ERYTHROBLASTOSIS, 286k
- ERYTHROBLASTOSIS, FETALIS, 286j,400b,464u; compl. & seq. 377k; pathogen. 344n; ther. 280u
- ERYTHROCYTES, 285i,304q,304r; determ. 343f, 343g,468a,468b,468c; metab. 425c,425d; ovalocytosis 355r; permeability 424w; physiol. 374q; pois. 390i
- ERYTHRODERMA, 368q,414t,448t
- ERYTHROMYELOSIS, 448f
- ERYTHREMA, 377w
- ERYTHROPOESIS, 379i
- ESERINE, 332o
- ESOPHAGITIS, corrosive 357o
- ESOPHAGOSCOPY, anesth. 342u
- ESOPHAGUS, cancer 267o,346v; deform. 339m; dilatation 296w; divertic. 312g,396-1; for. body 439r; obstruct. 360h,397p,459d; perf. 371g; polyp. 281s; radiology 430n; spasm 294v; surg. 440m
- ESTRADIOL, eff. 241j
- ESTROGENS, 270m; chem. 265w; determ. 272p, 335s; eff. 403c,403k,442u,444f,468h; implantation 430-1; ther. 274i,368w,371-1
- ETHANOLAMINES, 269h
- ETHER, determ. 434p
- ETHMOID BONE, surg. 459m
- ETHYLENE DIAMINE, 416w
- EUPHORIA, 391k
- EUTHANASIA, 433w
- EVISCIERATION, exper. 444g
- EVOLUTION, 256g,334s,334t
- EXANTHEMS, 286p
- EXCRETION, physiol. 322b
- EXERCISE, eff. 419r
- EXHIBITIONISM, 290a
- EXISTENTIALISM, 381d
- EXOPHTHALMUS, in child. 266h; pulsating 434k
- EXTRAPYRAMIDAL TRACT, dis. 299n
- EXTREMITIES, abnorm. 341l; fract. 359s; infect. 447f; thrombosis 476i
- EYE, 458d; accomm. & refrac. 292w,293q,294i,345u, 382m; anesth. 293h; cataract 382k; choked disk 365q; dis. 365r,383i,383p,457o,457s,458-1,477g, --injections 294h; --ther. 292u,383u; emergency care 349m; exam. 458b; fluids 382-1; for. body 293o; implant. 457m; infect. 383i,383m,383v; movements 292v; muscles 382n,458e; --paralysis 382v; photography 293i; pois. 383q,383k; pupil 466c; surg. 458n; --compl. & seq. 358e; tension 293i,458b; tuberculous, ther. 293k,383s; vital staining 383k; wds. & inj. 366t,458h
- EYE LENS, abnorm. 457i,457r; exfoliation 366u
- EYELID, abnorm. 457s,458g; gangrene 352m; plast. surg. 383b; spasm 457j
- FACE, cancer 414m; dis. 413d,414i; plast. surg. 437s; wds. & inj. 363i,377g
- FACIAL NERVE, paralysis 286q,294m,433a
- FAGARINE, 392g,423j

- FALLOPIAN TUBES, 257q; dis. 258h, 273e; exam. 337d; insuffl. ther. 258o
- FALLOT'S TETRALOGY, 464r
- FAMILY, American 456j
- FASCIA LATA, 396v; in poliomyelitis 449r
- FATIGUE, urine in 362j
- FATTY ACID, chem. 418n
- fecundity, 336f
- FEELLEDINDEDNESS, 450k, 450r, 451g; educ. 450-1, 451h; etiol. & pathogen. 360n; ther. 450n
- FELTY'S DISEASE, 287-1
- FEMORAL ARTERY, embolism 283o
- FEMUR, dis. 442i, 449k; fract. 266p, --ther. 396i, 449-1, 449m; neck fract. 395a; surg. 310m; tumors 312w, 313o
- NESTRATION, 294n, 296h, 296i, 296k, 296-1, 358i, 362u; compl. & seq. 295d
- FERRICILLIN, 372k
- FERROUS SULFATE, tox. 385s
- FERTILITY, exper. 471o
- FERTILIZATION, birds 402v
- FETAL MEMBRANES, premature rupture 274m, 336u
- FETOGRAPHY, 336v
- FETUS, abnorm. & deform. 377n, 377t; care 263q; extrachorionic develop. 336w; mortal. 347o
- FEVER, compl. & seq. 312k; idiopathic 447n, 464m; prolonged 364v; spotted 300c
- FEVER THERAPY, 315v
- FIBRIN, exper. 276-1
- FIBRINOLYSIN, eff. 444a
- FIBROPLASIA, 389a
- FIBROSARCOMA, transpl. 446j
- FILARIASIS, ther. 368i
- FINGER SUCKING, 328j
- FINGERS, abnorm. 472v; infect. 394k; spreading 299p
- FIREFARMS, 415u
- FISTULA, arteriovenous 396q; cholecystocolonic 366i; duodenal 472w; duodenocolic 350c; esophago-tracheal 380h; genitourinary 260e; jejunal 397c; rectal 372r, 473-1; rectovaginal 378i; vesicouterine 259o
- FLAVONES, 418c
- FLIES, 242q, 242r, 322k, 322m; eradication 304e, 478i; tsetse 322r
- FLUIDS, biological, chem. 388q
- FLUORENE, amino 323e, 403p
- FLUORIDES, 252i, 350t, 431c; tox. 353w, 400f; gym. aspects 259q
- FLUOROPHOSPHATE, tox. 432j
- FOG, 435b
- FOLIC ACID, 391c; ther. 278o, 355w, 391n, 445i
- FOLLICULITES, 414g, 414q
- FOOD, educ. 288p; hyg. 470i, 470m; pois. 298q; pre-serv. 456v, 457a; serv. 379j; texture 419q
- FOOD TESTS, 456p, 457b
- FOOT, contracture 474c; deform. 338q, 370d; disloc. 261e, 286o; surg. 473g
- FOREARM, surg. 447c
- FOREHEAD, tumor 296v
- FOREIGN BODIES, diag. 438i; ear 381v; migration 313o
- FOVEA, RETINAL, exam. 258k
- FOX-FORDYCE DISEASE, 367b
- FRACUTURES, compl. & seq. 342u, 451t; surg. 475q, 475s, 475u, 476a, 476c, 476d; ther. 312h, 371j, 440v, 449m, 449n, 475m, 475n, 475o, 475p, 475r, 475s, 475t, 475u, 475v, 476s; ununited 475n
- FRÖHLICH'S SYNDROME, 426d
- FROGS, kidney histol. 241d
- FRONTAL BONE, exostosis 363-1; osteomyelitis 378h
- FRONTAL HOMOLATERAL SYNDROME, 465c
- FRUIT, ther. 315g
- FUNCTION TESTS, Knipping 262b
- FUNGI, 241p; genetics 321o; spores 341o
- FUNGICIDES, 256d, 334m; tox. 271o
- FURACIN, ther. 446j
- GALACTOSE, tox. 300j
- GALLBLADDER, 471m; abnorm. & deform. 311t; cancer 362c; dis. 350h, 398t, --etiol. 430v; perf. 311u; surg. 312s, 347o, --compl. & seq. 340c
- GALLSTONES, 271t, 282e, 311v, 346b
- GAMMEXANE, 322p, 426q
- GANGRENE, traum. 313a, 313m
- GAS, analysis 256-1
- GASTEROMYCETES, 241m
- GASTRIC SECRETION, exper. 342s
- GASTRITIS, allergic 379k
- GASTROENTEROLOGY, 308c; biblio. 424n
- GASTROINTESTINAL TRACT, surg. 253j
- GASTROJEJUNOSTOMY, compl. & seq. 439f
- GEIGER-MÜLLER COUNTERS, 255j
- GENE FACTOR, 337m, 337n
- GENES, 385a
- GENETICS, 257b, 257d, 283g, 334p, 334q, 334w; chem. asp. 255b; in Russia 333m; mechanism 257e; paramecium 332w; speciation 334r, 334s
- GENITALS, cancer 374d; dis. 260d; female, endocr. asp. 337c, --surg. 436t; infect. 338a; tuberculosis 260a, 260b, 260c, 260d, 260e, 260f, 260g; wounds 342n
- GENITOUREINARY TRACT, dis. 400e; surg. 318c; tuberculosis 393t
- GERIATRICS, 278b, 280e, 426k; pathol. 426i, 438i
- GERMICIDES, 256m
- GIARDIASIS, 300c
- GINGIVA, cancer 413e; care 413c; dis. 329i; surg. 329s; tuberculosis 414i
- GLASSES, 294c, 457u
- GLAUCOMA, 383o, 457m; compl. & seq. 458f; in child 293f; surg. 383j; surg. 456f; ther. 458n, 458q
- GLIOMA, surg. 384a
- GLIOTOXIN, 418-1
- GLLOBULIN, gamma 391a
- GLUCOSE, eff. 314s; methyl 405d
- GLUCOSIDES, card. 278m, 418a, 466u, --prod. 393f; eff. 393f
- GLUTAMATES, 456q
- GLYCERIN PHOSPHORIC ACID, 303a
- GLYCEROPHOSPHATES, eff. 466f
- GLYCINE, tox. 444u
- GLYCOGEN, metab. 260w
- GOITER, intrathorac. 379-1; nodular 397i; subster nal 371n; surg. 285m, 310k
- GOITER, EXOPHTHALMIC, 276h, 354-1, 422s; pregnancy 337a
- GOLD AND GOLD COMPOUNDS, 316f, 371e
- GNADOTROPINS, eff. 259s; exper. 374d, 445k; ther. 259f
- GONORRHEA, acute 433b; compl. & seq. 286p; etiol. & pathog. 472j; in child. 425r; ther. 265g, 280m
- GRAFT, tissue reaction 418q
- GRANULOCYTES, 333i
- GRANULOMA, 372i, 451s; annular 414i; eosinophilic 358c
- GRAPHOLOGY, 469j
- GRIGNARD REAGENT, radioactive 418g
- GROIN, dis. 425j
- GROUP MEDICINE, 435r, 435s, 440q
- GROWTH, 254-1, 256i, 355o; exper. 255u, 334e, 334f, 402v, 446m; germ-free 418j
- GUAIACOL, ther. 297o
- GUILLAIN-BARRÉ SYNDROME, 301j, 394t
- GUILLEMEAU, JACQUES, 378i
- GYNECOLOGY, 258n, 258s, 370b; educ. 335j; geriatric aspects 281f; in U.S. 259u; radiother. 353r; statistics 477d; surg. 258u, 259a; ther. 268u

- HAIDINGER'S BRUSHES, 383f  
 HAIR, 402b; excessive 425k; removal 255v, 438a  
 HALSTED, WILLIAM STEWART (1852-1922), 427t  
 HAND, functions 386d; infect. 350g; psychol. aspects 381p; surg. 370c  
 HARELIP, 295, 430-1  
 HAY FEVER, 347p, 357v  
 HEAD, deform. 432w; tr. 433f, 439h  
 HEADACHE, 360s, 360t, 370g, 379d, 440q, 452i; in child. 464g; ophth. aspects 294i; ther. 274t, 286n, 346j  
 HEALTH INSURANCE, 336a, 346a, 357g, 420v; Gt. Brit. 357h  
 HEALTH RESORTS, 309i  
 HEARING, dis. 366a, 366r; physiol. 295f; tests 309b, 384t  
 HEART, abnorm. 349i, 373p, 427k, 428b, 484v; aneurysm 377v, 404f, 404g, 425a; arrhythmia 323i, 323n; beat 305r; block 323n, 344r, 369s, 373p, 423n; bl. on supply 374n; dis. 258b, 268s, 279s, 280s, 404h, 440s; --conger. 285c, 285d, 342r, 431d, --diag. 263t, --diet ther. 275i, 281d, 370n, 441u; electron microscopy 344k; function tests 448e; hypertrophy 242u, 242w, 263d; infarct. 265a, 349-1, 349q, -in child. 276e; u. j. 352a, --compl. & seq. 339g; insuff. 316d, 347p, 347s, 423e, 429n; interventricular defects 265d; murmurs & sounds 323o, 359c, 404d, 433m; physiol. 301s, 373r; prolapse 363n; rate 360-1; rhythm 273n; roent. 428n; size 471n; suction pump 306p; surg. 270k, 283e; thrombosis 323q; tumors 471k; wds. & inj. 308v, 430e  
 HEART EXTRACT, eff. 386b  
 HEAT, eff. 451n  
 HEATING, 470k  
 HELLEBORE, 278m  
 HELMINTHIASIS, 394i  
 HELMINTHOSPORIUM, 241o  
 HEMATEMESIS, 350m, 426s, 437r  
 HEMATO-LABYRINTHIC BARRIER, 295i  
 HEMATOCOLPOS, 430h  
 HEMATOLOGY, 429u  
 HEMATOMYELIA, 289t  
 HEMATOPOIESIS, exper. 446m  
 HEMATOPOPHYRIA, 286k  
 HEMATOPORPHYRIN, eff. 386e  
 HEMATORIA, diag. 396o  
 HEMIANOPSIA, 382u, 452d, 457o  
 HEMIATHETOSIS, 390a  
 HEMI-LEGIA, 452d  
 HEMILOCK, 393g  
 HEMOCHROMATOSIS, 370s  
 HEMOGLOBIN & HEMOGLOBIN COMPOUNDS, 304r, 305m, 373b; avian 419m; chem. 361u  
 HEMOGLOBINURIA, paroxysmal 424j  
 HEMOLYSIS, in child. 390h  
 HEMOPHILIA, 448g; compl. & seq. 427u; in child. 389q; ther. 283r  
 HEMOPLASMODIUM, dis. 370g  
 HEMORRHAGE, 242v, 317t, 362t; petechial 261c; post op. 423s; postpartum 423p  
 HEMORRHAGIC DISEASES, ther. 356w  
 HEMOSTATICS, absorbable 279h, 341u  
 HEPARIN, 288e, 288i, 476h; surg. 476g, 476h, 478j, 476k; ther. 476i  
 HEPATIC ARTERY 426u  
 HEPATITIS, 263r, 439g; acute 316a; virus 374j, 389b, 391b  
 HERMAPHRODITISM, 389g, 415o, 435k  
 HERNIA, appar. 334-1; diaphragmatic 365n, 447d, 447e, 460h; hiatus 357c; in child. 391e; inguinal 313s, 313r, 428v; internal 428e; perineal 397r; recurrent 363b; strangulated 314d; ventral 397q  
 HERPES, 436i; zoster 441g, 457s, 477q  
 HETEROCHROMIA, 256a  
 HEXACHLOROCYCLOHEXANE, 255a  
 HIBERNATION, 418u  
 HICCUP, ther. 283h, 310u  
 HIP, coxa vara 449q; coxalgia 446o; disloc. 396m; fract. 361d  
 HIP JOINT, surg. 375r, 439t, 449h, 449i  
 HIRUDINIASIS, 384f  
 HISTAMINE, 280p, 305c; antagonists 283t, 321h, 331h, 372e, 414o, 415d, 445h; eff. 301t, 444k, 457h, 467r; tox. 301w  
 HISTOPLASMOSIS, 285h, 300t, 331m, 391g, 439o, 464n, 478g  
 HOARSENESS, 364r  
 HOBBY, medical 266w  
 HODGKIN'S DISEASE, 263b, 427j; compl. & seq. 350f; diag. 471; pathogen. 369m; ther. 338q  
 HOFFMANN REFLEX, 263q  
 HOFFMAN'S BACILLUS, 364g  
 HOLISM, 469a  
 HOMEOPATHY, 304d, 355r  
 HOMOSEXUALITY, 437u  
 HOOKWORM, infect. 275b  
 HORMONES, 336g, 472z; eff. 468f, 468g; in pregnancy 336o; sex 258i, 289i, 347e, 369k, 415p; ther. 377p  
 HORTICULTURE, 393i  
 HOSPITALS, admin. 261-1, 261m, 337h, 337i; admission. 351v; bldgs. 449e; ethics 261n; govt. 346q; group insurance 469v; laws 470v; Mass. 279-1; Norway 360i; pediatric serv. 360i; planning 294s; psychiatric 387h, 395u; pub. rel. 380n; ship 448n; staff 288p, 346q, 379i, 380m, 420t, 421c  
 HOST, specificity 242e  
 HOUSING, 395i  
 HUMANISM, 427i  
 HUMERUS, fract. 310o, 394k  
 HUMIC-POTENTIAL, 354n  
 HYALURONIDASE, 465k; determ. 432f; eff. 334b; in anesthesia 329-1; in cancer 403n, 445j  
 HYDROCELE, 274i  
 HYDROCEPHALUS, 301a, 398v, 453q  
 HYDROGEN ION CONCENTRATION, 286o, 304g, 332a  
 HYDRONEPHROSIS, 275h, 390n; congen. 299i  
 HYDROQUINONE, tox. 383k  
 HYDRYLLIN, 331n  
 HYMEN, imperforate 430h  
 HYPEREMIA, reactive 445n  
 HYPERFOLLICULISM, 259w  
 HYPERKERATOSIS, 387h  
 HYPERSTOSIS, in child. 267o  
 HYPERTENSIN, 255v  
 HYPERTONIA, 360b  
 HYPNOSE, 381a, 453v, 468v  
 HYPOTHALAMUS, 382i  
 HYSTERIA, 290n  
 HYSTERO-SALPINGOGRAPHY, 259d  
 ICHTHYOSIS, 298i  
 IILEITIS, terminal 396h  
 ILEUM, diverticulum 370c  
 ILEUS, 271i, 343v, 393u, 446v  
 ILLIAC ARTERY, aneurysm 396q  
 ILLIAC FOSSA, 354k  
 IMMIGRATION, 368u  
 IMMUNITY, 257b, 309e; in animals 321r; in child. 300u  
 IMMUNIZATION, combined 465g  
 IMMUNOLOGY, clinical 284h  
 IMPALEMENT, 436w  
 IMPETIGO, 280-1  
 INCONTINENCE, 339n  
 INDEX CATALOGUE, 353u  
 INDIANS, AMERICAN, 346o, 401u  
 INDOLEACETIC ACID, 445a  
 INDUSTRIAL MEDICINE, 308o, 313v, 315d, 354b,

- 361c, 371b, 379b, 393n, 394r, 395b, 395c, 422e, 422c  
**INFANTS**, card. dis. 283e; dehydr. 306i; diarrhea 301e, 301f, 301g, 301j; dis. 267o, 298q, 298u, 360j; infect. 267g; immun. 463n; metab. 418o; mortal. 345c, 347o; nutrition 297e, 298e-1, 298n, 299o, 299v, 308i, 359m, 435a, 461-1, 462i, 462-1; premature 277c, 292a, 360n  
**INFANTS, NEWBORN**, 282j, 388v; abnorm. 359b; care 280g; diabetic aspect 358p; dis. 272p, 272q, 272s, 288k, 297s, -transm. 300-1; infect. 352i; inj. 272t; milk aspiration 389p; nevus 298r; nutrit. dis. 297u, 297v; rooming-in 257r; tox. 357p  
**INFECTION**, 288f, 436p; enteric 338c; epidemiol. & statist. 420m; focal 249t, 288i, 394a, --dent. aspects 330r, 330u, 331d, 394b; of farmers 281q; periodicity 372v; prev. 309e; surg. 475k; ther. 389o  
**INFLUENZA**, epidemiol. & statist. 469v; research 469t; vaccine 435u; virus 271h, 307o, 307p, 402m, 402r  
**INHALATION**, ther. 428h  
**INJECTIONS**, 250-1, 298s; appar. 263o, 371s; epidural 274p; intraossal 298q, 343u; intravenous 437i  
**INSANITY**, presenile 451r  
**INSCRIPTION**, vertical 387r  
**INSECTICIDES**, 242i, 250q, 256t, 258v, 269k, 275r, 304e, 334n, 418u; chem. 405h, 405l; eff. 419t; tox. 470r  
**INSECTS**, 316t, 373c  
**INSTRUMENTS**, 400c  
**INSULIN**, 278s, 360v, 372k, 432i, 443v, 458e; tox. 433o  
**INTELLIGENCE**, 284t  
**INTERNAL MEDICINE**, 351b  
**INTERVERTEBRAL DISKS**, dis. 376e, 432v; hernia 312v, 362w, 382e, 427q, 430i, 446o; rupt. surg. 453-1  
**INTESTINES**, amebic granuloma 311q; anastomosis 311d, 314h; dis. 262p, 268u, 393s; diverticulum 397c; for. body 313c; gangrene 353q, 437n; infect. 369t, 478m; intubation 269t; obstruct. 263s, 266u, 282e, 350i, 425r; peristalsis 305j; surg. 363j, --compl. & seq. 284s; tumors 281t, 472q  
**INTOXICATION**, 289c  
**INTRACAINE**, 289j  
**INTRAOCCULAR PRESSURE**, 358h  
**INTUSUSCEPTION**, 277i; in inf. & child. 473o, 473t  
**IODINE**, in urine 381o  
**IRGAFENE**, 365h  
**IRIDECTOMY**, 293j  
**IRIDOCYCLOITIS**, 357t  
**IRON**, determ. 467g; ther. 286j, 360b, 372c, 372d  
**IRRADIATION**, compl. & seq. 309s  
**ISOMERISM**, 332-1  
**ISOTONIC SOLUTIONS**, 301r  
**ISUPREL**, 280c  
**IVORY CROSS EXPEDITION**, 250a  
**JAUNDICE**, 341d, 389v, 422w, 461n; catarrhal 272e, 337o, 363p, 364b, 463v; compl. & seq. 337-1; hemolytic 338t; in child. 390h; nuclear 289p; serodiag. 387n; spirochetal 316u, --bact. 317a, 317b; epidemiol. 402m; Texas 375s; ther. 282c  
**JAW-WINKING PHENOMENON**, 451m  
**JAWS**, abnor. 412n; blood supply, roent. 413h; cysts 342g; deform., ther. 249v, 250c; dis., compl. & seq. 362o; for. bod. 250r; fract. 252a, 252e, 252j; tumor 342g, --congen. 336s; wds. & inj. 377g  
**JEJUNUM**, ulcers 375p  
**JOINTS**, costo-vertebral 289k; dis. 262a, 288h, 449i, -in child. 290i, 360f, 464g, --roent. 353t; surg. 287i; tuberculosis 307d, 450d  
**JUGULAR FORAMEN**, 295-1  
**JURISPRUDENCE, DENTAL**, 329g  
**JURISPRUDENCE, MEDICAL**, 374i; expert testi-
- mony 434a, 434b, 434c, 434d; Indiana 431s; psychia-try in 434d  
**JUVENILE DELINQUENCY**, 253u, 253w  
**KENNEDY'S SYNDROME**, 351p  
**KERATIN**, 417q  
**KERATITIS**, 293i, 458o  
**KERATOCONJUNCTIVITIS**, 383q  
**KERATOPLASTY**, 272e, 383-1  
**KERATOSIS**, follicularis 368g, 372f, 372g  
**KEROSENE**, tox. 357k  
**KETONE BODIES**, metab. 301b  
**KIDNEY SERUM**, 419s  
**KIDNEYS**, blood supply 276e; calculi 400d; cancer 273i; cirrhosis, lead 337n; cysts 342v; deform., congen. 342q; dis. 355m, 356g, 358o, 370j, 370k, 370-1, 423i, 430a; dis., in child. 341w; function tests 306d, 423u; horseshoe 350c; hypertensive 385p; inflarct. 427-1; innerv. 290t; physiol. 349t, 467t, 468k, 468-1; surg. 399v, --compl. & seq. 318c, 365b; syndromes, in child. 390b; tumor 297v, 350c, 365e  
**KLIPPEL-FEIL SYNDROME**, 425o, 433t  
**KNEE**, deform. 473a; fract. 478c; surg. 365a; wds. & inj. 287c, --congen. 428i; dis. 474c; surg. 473f  
**KNEE REFLEX**, 462u  
**KYMOGRAPHY**, 427d  
**LABOR**, 259i, 259q, 267q, 336o, 336p, 374-1, 436q; breech presentation 257o; compl. 259r, 269q, 299t, 336p, 336u, 426k, 431k; drugs in 275m; exophthal-mic goiter 337a; pains 257n; prolonged 358o  
**LABORATORIES**, appar. 280q, 432-1; diag., dent. aspects 330-1; technicians 448k  
**LABORATORY ANIMALS**, 308c  
**LACRIMAL ORGANS**, dis. 458q; surg. 383e, 458i  
**LACRIMATION**, 352m  
**LACTALBUMIN**, 349p  
**LACTATION**, 241j, 307e, 393-1  
**LACTOFLAVIN**, 287k  
**LACTONE**, 467i  
**LAMINECTOMY**, anesth. 402n  
**LANOLIN**, 280i  
**LARYNGECTOMY**, 296c  
**LARYNX**, cancer, radiother. 296b, 296d; dis., in child. 298a; stenosis, 295e; surg. 296e; tubercu-losis 265f, 296m, 378j; tumor 414j, --radiother. 296d  
**LATHYRISM**, 444i  
**LAW & LEGISLATION**, France 428-1  
**LEAD**, determ. 435u; tox. 262a, 262g, 452b  
**LEADERSHIP**, 469g  
**LEARNING**, 469b  
**LECITHINS**, 398d, 419j  
**LEG**, deform. 449m, --compl. & seq. 379a; dis. 268e; orthopedics 282k; pain 464h; surg. 312-1; ulcers 265a, 281k, 314u, 379c; veins, surg. 356o  
**LEISHMANIASIS**, 472j; cutaneous 264g, 282c, 370e; diag. 276i; Italy 370e; ther. 264i; U. S. 478c  
**LENS**, 457w, 458t, 458v  
**LEPROSY**, 252t, 366u, 435n, 456-1; blood in 422h; colonies 422n; diag. 422i; eye 422j; medication 422i; neural 452-1; rat 398k; roent. 422k; Sardinia 367o; ther. 366j, 367r; electron microscopy 422-1, 422m  
**LEPTOMENINGITIS**, 374h  
**LEPTOSPIRA**, bovine 445c  
**LEPTOSPIROSIS**, 242b, 467b  
**LEUKEMIA**, 445o; aleukemia 431h; compl. & seq. 387n; hist. 433p; monocytic 388i; myeloid 272j, 315u; radiother. 461u; ther. 261a, 272k, 283k, 287g, 437-1; in child. 298i  
**LEUKOCYTES**, 355s, 371v, 386d, 460p  
**LEUKOMA**, 383d  
**LEUKORRHEA**, 335r  
**LIBMAN-SACKS SYNDROME**, 341d  
**LIBRARIES**, med. 385j

- LICHEN PLANUS, 252n, 414r, 458o  
 LICENIFICATION, 283f  
 LIFE, retired 289d  
 LIGAMENTA FLAVA, 365m  
 LIGHT, protection 315j  
 LINIMENTS, 303s  
 LIPODISTROPHY, 282m  
 LIPOIDS, 306q, 307c; absorption 432g; eff. 417v;  
 metab. 305d, 448e  
 LIPOPATOSIS, 310q  
 LIPOOTROPY, anti-diabetic 284v  
 LIPS, cancer 309o  
 LIVER, anti-thyrotoxic factor 344r; biopsy 343-1;  
 cancer 262n, 310o; cirrhosis 288-1, 340v, 355g, 369a,  
 377w, 423k, 424k; cysts 472n, 473w; dis. 265c, 283t,  
 292h, 338v, 338w, 340u, 346l, 371e, 378k, 417k, 429t,  
 480n, --blood in 427v, --in child. 263k, 300f, 464j,  
 --roent. 475a; function tests 266e, 277n, 284v, 337t,  
 362r, 371u, 379r, 429b, 429h, 429t, 431q, 468m; iron in  
 304r; pathol. 362n, 417w, 460o, 460r, 466a; physiol.  
 305e, 430b; pulsation 360c; rupt. 279h; surg. 437t;  
 tuberculosis 438r; tumor 403f, 403g; wds. & inj.  
 337-1
- LUGWORM, 333i
- LUNG, abscess 272h, 380m, --compl. & seq. 472c,  
 --ther. 341b; anat. & histol. 288o; calcification  
 285k; cancer 264m, 280g, 322w, 339m, 346v, 366g,  
 428i, 442h, --diag. 359v; cysts, anesth. 317t; dis.  
 284r, 350p, 369n, 379h, 479l, --etiol. 359n, --sym-  
 toms 338t, --ther. 353n; edema 396u, 433e; exam.  
 399r; fibrosis 317u; for. body 384c; function  
 tests 262b; roent. 270c, 441s; surg. 264m, 339u,  
 350p, 375h, --compl. & seq. 353j, 353k; tumor 431j,  
 --in child. 298v; wds. & inj. 476e, 478e
- LUPUS, 372g, 414i; erythematosus 274h, 341t, 423p,  
 438e; vulgaris 353m, 388d, 394o, 479p
- LYMPH NODES, 369b, 464i; iliac, infl. 343s, 343t;  
 tuberculosis 348-1, 348m, 389t
- LYMPHANGITIS, 338h
- MACROGNATHIA, 328g
- MAGNETO-IONIC THEORY, 333b
- MALAR BONE, fract. 251s
- MALARIA, 277w, 350k, 358w, 398t; compl. & seq.  
 270f, 477v; diag. 477v, 477w; epidemic 317v;  
 Holland 317g, 317h, 317i, 317j; plasmodium 425b,  
 321p; relapse 282t; retic. endothelial 278i; ther.  
 316t, 387j, 387-1, 391d, 398h, 426m
- MALEIC ANHYDRIDE, 417e
- MAN, prehistoric 329j
- MANDIBLE, 396w; coronoid, fract. 252a, 252e, 252g;  
 deform. 412j; osteomyelitis 472r; retrusion  
 401v; tumors 449p
- MANDIBULAR CONDYLE JOINT, 412p
- MANGE, sarcoptic 264b
- MANOMETER, 388h
- MASKS, 420d
- MASSAGE, appar. 334m
- MASSETER MUSCLE, 427m
- MASTITIS, 260n, 352f
- MASTOID, surg. 268k, 459p
- MASTOIDITIS, occult 298g
- MATERIA MEDICA, 303q
- MATERNITY, Gt. Brit. 291u; mortal. 259e, 269u,  
 336t; welfare 306i
- MAXILLA, osteomyelitis 413-1
- MAXILLARY SINUS, cyst 430e
- MEAD, 354o
- MEADOW SAFFRON, 302m
- MEASLES, compl. & seq. 297r, 359h, 460v
- MEAT, amino acids 253f; industry 470-1; vitamin  
 B253g
- MEDIASTINUM, cancer 472b; emphysema 278j;  
 tumor 429q
- MEDICAL HISTORY, 261g, 274q, 312a, 338s, 339b,  
 420-1, 420n, 420o, 420p; study & teaching 420n  
 MEDICAL MISSIONS, Bolivia 393o
- MEDICAL PRACTICE, 342a
- MEDICAL STATISTICS, 338n, 425i
- MEDICAL WRITING, 357e, 357f
- MEDICINE, 267q, 361m, 395n; as a profession 277g;  
 custom made 288u; educ. 354q, --soc. aspects  
 354v; ethics 393q; in Austria 395n; in Canada  
 470d; in Eire 272a; in Gt. Brit. 420q; in New  
 South Wales 437c; in Vienna 378s; Malay 278c;  
 philos. 275j, 280w; popular, Italy 355e; preventive  
 273u, 433g; public rel. 342h; rural 349o; social-  
 ized 267m, 347t; social asp. 270p, 354u, 354w,  
 355a, 394g, 433s, 435k, 441h; New Zealand 437b
- MEDICINE MEN, 375m
- MEGACOLON, 351e
- MELANOMA, 280u, 351u, 351u
- MEGAKARYOCYTES, 446f
- MELANOSIS, 262r
- MELENA, 426s; fetal. 273b; neonatal 360o
- MELTING POINT, 416q
- MEMORY, recognition 468w
- MENIERE'S DISEASE, 378, 385e
- MENINGES, angiectasis 460j; hemorrh. 274d, 452c;  
 tumor, metast. 280v
- MENINGITIS, 296u, 390a, 449c; compl. & seq. 484o;  
 in child. 283f, 306t; influenzal 376o, 390k, 461k;  
 meningococci 369f, --compl. & seq. 390d; pneu-  
 mobacillary 465e; pneumococci 306t, torula  
 269w; tuberculous 365a, 389k, 390r, 390s, 442m, --  
 diag 426e, --pregnancy 337e, --pathol. 365t, --  
 ther. 288g, 298m, 339r, 353h, 360-1, 438o
- MENINGOCOCCI, 387e, 388k
- MENINGOENCEPHALITIS, exper. 373i
- MENOPAUSE, Psychiat. asp. 350q, --ther. 349n,  
 350r, 477g
- MENSTRUATION, disord. 259o, 260m, 260n, 336j,  
 336k, 431f; nor-ovulational 374f
- MENTAL DEFICIENCY, diff. diag. 451g; research  
 381-1
- MENTAL DISEASES, 381n; endemic 373o, 374c;  
 geogr. distrib. 339n; hered. 381g; medication  
 376n
- MENTAL HYGIENE, 290k, 350g, 381d; statistics  
 309a
- MENTAL TESTS, 266c, 289s, 339o, 450p, 450q
- MENTALLY DEFICIENT, care & rehab. 366n
- MERCURY, ther. 316a, --compl. & seq. 389w
- MERCURY CYANIDE, eff. 376m
- MERCURY TYROSINE, eff. 376m
- MESENTERY, blood vessels, occl. 397a; cysts  
 427j; lymphadenitis 355m, 363u, 447q; lymphangi-  
 oma 397b
- MESTER TEST, 367v
- METABOLISM, 417b; chem. 433k; disord. 369i;  
 eff. of drugs on 385u, 385v; in surg. patients  
 275g; sera in 376a
- METALS, microchemistry 332b
- METAPHYSICS, 250e
- METHADON, addict., exper. 392d, 444c; eff. 342c
- METHIONINE, determ. 375v; obst. use 257o
- METHYL ALCOHOL, tox. 383q
- METHYLCHOLANTHRENE, 403-1
- METRAZOL, eff. 451-1
- MICRO-ORGANISMS, growth 321p
- MICROCEPHALY, 389s
- MICROGNATHIA, 328f
- MICROPHTHALMIA, 358k
- MICROSCOPY, electron 341n, 341o, 344j, 344k, 344-1,  
 344m, 418b, 419a, 470c; magnification 287a
- MICROSPORON AUDOUINI, infect. radiother. 464p
- MICROSPOROSIS, 415c
- MICROTOME, high speed 344-1
- MIGRAINE, 271r, 342k, 371k; traum. 382e, ther.  
 286s, 346k

- MILIARIA, ther. 298p  
 MILITARY DENTISTRY, 328w; Gt. Brit. 250q  
 MILITARY MEDICINE, equipment 467k; hist. 277g  
 MILK, 288a,342b; banks 464c; containers 348e;  
 human 463t; hyg. 394m; raw 470j  
 MINERAL WATER, 266s  
 MINES AND MINERS, 307h  
 MITES, 242r  
 MITOSIS, eff. of bromine on 417t  
 MITRAL STENOSIS, surg. 352t  
 MOLDS, extracts 321i  
 MONASTIC MEDICINE, 438f  
 MONKEY, 290u  
 MONONUCLEOSIS, 445s; infect. 340v,341g,423q  
 MONSTERS, 282t  
 MORBIDITY STATISTICS, 337h  
 MORPHINE, addict., exper. 392d; eff. 305i  
 MORPHINE-SCOPOLAMINE, antagonist 386a  
 MOUTH, anesthesia, in child. 401p; cysts 295t;  
 hyg. 330s; radiogr. 330v  
 MOVEMENTS, 464g  
 MOVING PICTURES, medicine 313w  
 MUCIN, 429t  
 MUELLER, HERMANN FRANZ, 378f  
 MUSCLES, anatomy 287k; elasticity 305p; fascicula-  
 tions 452p; paralysis 372t; physiol. 304q,305g,  
 305q,333p,453g; tonus 290s  
 MUSCLES, SMOOTH, dis. 342k  
 MUSCULO-SKELETAL SYSTEM, pain 289j  
 MUSIC, 266w  
 MUSTARD GAS, eff. 465q  
 MUTATIONS, 418t; reverse 401f  
 MYANESIN, lit. review 351t  
 MYASTHENIA, 472a,  
 MYCOBACTERIUM, 332q  
 MYCOSES, 300t,351b,365p,414g  
 MYELOGRAPHY, indications 382c  
 MYELOMATOSIS, 260u,316m; ther. 280r  
 MYELOSIS, aleukemic 431h  
 MYOBLASTOMA, cases 413k  
 MYOCARDITIS, diphth. 279h; syphilitic 389r  
 MYOCARDIUM, infarct. 429u  
 MYOCLONIA, 382a  
 MYOPIA, 383g; control 352-1,458a  
 MYOTONIA, 452d; congen. 381j,382h  
 MYXEDEMA, blood pressure 430f  
 NAIL BITING, 250j  
 NAILS, dis. 343w,436e; inj. eff. 427t  
 NARCOANALYSIS, 381q,443g  
 NARCOSIS, 378t  
 NASAL SINUS, inflamm. ther. 440b  
 NASOPHARYNX, adenoid, ther. 440c; diphtheria  
 351q; radiother. 357u; tuberculosis 364f  
 NATIONAL HEALTH SERVICE ACT, 277r,315c,  
 420w  
 NATUROPATHS, exam. 288w  
 NECK, cancer 448p; dis. 342p; lymph nodes, tuber-  
 culosis 393r  
 NECROBIOSIS, lipoid diabetic 367c  
 NECROSIN, 444o  
 NEGROES, dis. 397j  
 NEMATODES, 416j  
 NEOARSPHENAMINE, 359a  
 NEOSALVARSAN, eff. 386q  
 NEOSTIGMINE, ther. 259f  
 NEPHRITIS, 282u; glomerular 424h; in child. 283a,  
 429f; ther. 339f  
 NEPHROSIS, 288d,432h; ther. 300r  
 NERVE BLOCKING, ther. 311n,349k  
 NERVES, cranial 381w; cutaneous 241e; hypoglossal  
 451s; intestinal 388r; motor 274k,381k; optic  
 458i,458k; peripheral 452j,473j; phrenic 467u,  
 -surg. 340i; stimulation 345r; vagus 370i;  
 vasomotor 358s,467p  
 NERVOUS SYSTEM, cancer 428d; dis. 272n,283a,  
 452m; in Tunicata 417b; pathol. 373a; physiol.  
 451p,467q; surg. 273h,291b,291f  
 NERVOUS SYSTEM, AUTONOMIC, endocr. asp.  
 337c  
 NERVOUS SYSTEM, CENTRAL, aging 428i  
 NERVOUS SYSTEM, PARASYMPATHETIC, physiol  
 305i  
 NERVOUS SYSTEM, SYMPATHETIC, 291c; dis.  
 373d; eye tension 293g; physiol. recording instr.  
 254d; regen. 476q; surg. 288n  
 NEURALGIA, glossopharyngeal 356f; nasal 295d;  
 pharyngeal 295n; vulva 341e  
 NEURITIS, multiple 452c  
 NEURODERMATITIS, 436b; electroenceph. 331j;  
 psychosom. 453u  
 NEUROFIBROMA, spinal canal 362f  
 NEUROGLIA, staining 266a  
 NEUROMYELITIS, compl. & seq. 262u  
 NEUROPSYCHIATRY, 305v  
 NEUROSES, 269c,275v,290m,464c; blood 362b,362l;  
 cerebrosp. fluid 362g; postoperative 427a; surg.  
 287r; ther. 279n  
 NEUROSPORA TETRASPERMA, 256f  
 NEUROSURGERY, Gt. Brit. 447b; progress 453i  
 NEUROSYNTHESIS, 279k; exper. 252m; serodiag.  
 441w; ther. 331-1,458i  
 NEUROTOPSY, 446k  
 NEVUS, 351u,436k; pigmented 298r; ther. 311-1  
 NEW YORK ACADEMY OF MEDICINE, 363r  
 NICOTINAMIDE, 305e  
 NICOTINIC ACID, 254-1; determ. 467i; metab.  
 418o  
 NICOTINIC ACID, DERIVATIVES, eff. 371r; ther.  
 371s  
 NIDATION, 341r  
 NITROGEN, determ. 379i,448f; fixation 321w,333r;  
 metab. 335d, trichloride 351i  
 NITROGEN MUSTARD, 241i,255b; ther. 338q; tox.  
 468o  
 NITROUS FUMES, tox. 472a  
 NITROUS OXIDE, anesthesia, inj. eff. 412q  
 NOCARDIOSIS, 459w  
 NODES, subcutan. 368k  
 NOISE, inj. eff. 267n  
 NOMENCLATURE, 417q  
 NOSE, allergy 454d; anat. 330k; cerebrospinal  
 discharge 294-1,387m; dis., compl. & seq. 354t;  
 fibroma 294k,294o; irrigation 382q; lymph sup-  
 ply 367m; mucosa 367m,-compression 356d;  
 physiol. 387-1; polypi 382p; septum 382p; surg.  
 442j; tumor ther. 296r,-radiorefract. 296v  
 NOVOCAINE, ther., otorhinolaryng. 296t  
 NUCLEAR PHYSICS, 256e  
 NUCLEOPROTEINS, 254o  
 NURSES & NURSING, educ. 291t,395p,458h; future  
 456e; psychiatric 456m; pub. health 292c.  
 NURSING STAND, 420h  
 NUTRITION, 270h,470n; artificial 350j; deficient,  
 in child. 426i,463m,463p,463q,463r; disord.  
 285n,297t,-psychosom. 253b; excessive 369s;  
 exper. studies 255g; in surg. patients 281h; in-  
 fants 433g; Norway 378o; parenteral 346t; tests  
 443j  
 NYSTAGMUS, 295c,383h  
 OBESITY, 289b,289e,360a,365b; diet 364q; in child.  
 402a  
 OBSTETRICAL METHODS, 337b  
 OBSTETRICAL RESUSCITATION UNIT, 271w  
 OBSTETRICS, 258u,277s,350w,370b,427o,432q; educ.  
 335j; hist. 345g; operative 335u; roent. 356n;  
 rural serv. 433a; technic 394e  
 OCCLUSION, DENTAL, compl. & seq. 250n,250u;  
 in child. 328e

- OCCUPATIONAL DISEASES**, 267n; diag. 361d; laws & legislation 379c
- OIL**, colloid chem. 416o, 416p; lubricating, tox. 403r; mineral, tox. 403s; vegetable 332b
- OLD AGE**, 275v, 381d; dis. 291u, 291w; welfare 268v
- OLEANDER**, ther. 316b
- OMENTUM**, torsion 281n
- OPERATION**, ambulation 440p
- OPHTHALMIA**, neonatal 382r
- OPHTHALMOLOGY**, 383t; appar. 420e, 457-1, 457r, 457p; France 278d; hist. Russia 376p; pediatric 287d; psychosom. aspects 402h; ther. 266s, 294g, 352-1, 477r
- OPHTHALMOSCOPY**, 293-1
- OPIUM**, eff. 466r
- OPTICAL INDUSTRY**, Germany 302o
- OPTICS**, 254t, 293, 294d, 294e
- OPTOMETRY**, 458a
- ORBIT**, cartilages, snakes 418s; cellulitis 423w, --acute 352n, cysts, hydatid 352h; echinococcosis 441p; fascia 293b; fract. 458i; pseudo tumor 383m tumors 310v; --surg. 293m; wds. & inj. 293m
- ORTHODONTIA**, 251o, 290d, 328h, 328s, 330k, 412t; appar. & instr. 328i; photographs 328h
- ORTHOEDIC**, 350r, 375d; appar. 450c, 288o; educ. 450e; in child. 300r; psychosomatic 282k
- ORTHOPTICS**, training 459a
- OSTEITIS**, deformans 382h
- OSTEOARTHRITIS**, ther. 277k
- OSTEOCHONDROMA**, 283i
- OSTEOCHONDROSIS**, 389d, 462h
- OSTEODYSTROPHIA FIBROSA**, 312m
- OSTEOFIBROSIS**, 450b
- OSTEOMA**, osteoid 279i
- OSTEOMALACIA**, compl. & seq. 372t
- OSTEOMYELITIS**, 295i, 379d, 472r; compl. & seq. 378s; roent. 310b; ther. 269s, 286e, 345e
- OSTEOPATHIA**, 389v
- OSTEOPETROSIS**, hereditary 271g, 271f
- OSTEOPOROSIS**, 265o
- OSTEOSYNTHESIS**, 476b, 475w
- OSTHEOPATHY**, 275o
- OTITIS**, 295v, 296u; acute 294m, --in child. 363w, --ther. 295p; compl. & seq. 281b
- OTITIS MEDIA**, compl. & seq. 296v
- OTOMASTOIDITES**, 459h; compl. 459e; in child. 390e
- OTORHINOLARYNGOLOGY**, ther. 295u
- OTOSCLEROSIS**, surg. 296i, 296g, 285m, 425i
- OUTPATIENT DEPARTMENT**, 377d, 424c
- OVARY**, cysts 426r; gynandroblastoma 257m; hormones 336g, 338d; innerv. 353r; tumor 258-1, 370b, 424d
- OVULATION**, 436r; determ. 373c
- OXALATE**, ethyl 354d
- OXIDASE**, 388s
- OXIMETER**, 262w
- OXOPHENARSINE**, metab. 392k, 392-1
- OXYGEN**, deficiency 262w, 302v, 376g, 402f, 451p; requirements, aviation 402d
- OXYTOCIN**, 255v
- OXYURIASIS**, 262k, 337w
- OZENA**, surg. 384s, 437t
- PAIN**, 277-1, 359t, 370f, 441p; dent. 252b; face 428-1; physiol. 453g; precordial 363v; relief 358g; ther. 273p, 283k, 467r
- PALATE**, cleft 430-l; tum. or 378i
- PALUDRINE**, 426m; intravenous 426n
- PANCREAS**, a: accessory 313g; biochem. 284k; cancer 404r, 264k, 283h, 473u; cysts 349j; dis. 284-1, 284m, 390v, 447q, --acute 279w; excus., eff. 356s; inj. 361e; islets 365i, 460q; pathol. 284i; endocrin. physiol. 284j, 453e; pseudo-cysts 369d; surg. 264k, 435e; tumor 379e, --surg. 284n
- PANCREATITIS**, 264-1; allergic 441b; diag. 397t; surg. 284n; ther. 397t, 423r
- PANTHENOL**, determ. 391-1; eff. 446a; stability 391-1
- PAPANICOLAOU METHOD**, 257w, 356p
- PARADENTOSIS**, surg. 413q
- PARALYSIS**, 268j; cerebral 271c, 284q, 450m, 465c; diag. 365g; facial 396v; general, statist. 348c spinal 379h, 428s; syphilitic 362n; ther. 267i
- PARALYSIS AGITANS**, Connecticut 267n
- PARAMECIUM**, 403-1
- PARAPLEGIA**, ther. 253e, 291e
- PARASPORIASIS**, ther. 368w, 367a
- PARAPSYCHOLOGY**, 305u, 305v
- PARASITES**, eff. 337n
- PARASITICIDES**, 334i
- PARASITISM**, in insects 401g
- PARASITOLOGY**, 317c, 322-l; tests 322q
- PARATHYROID**, physiol. 285v; surg., compl. & seq. 339t; carriers 307p; compl. & seq. 282w
- PARKINSONISM**, 341k, 385t; surg. 276o, 276p
- PARKINSON'S DISEASE**, ther. 381a
- PAROTID GLAND**, roent. 312t; tumor 460t
- PAROTITIS**, bact. 421q; compl. & seq. 347r; immun. 470e; in child. 335u
- PARNAPIT**, eff. 301u; ther. 278n
- PARTURITION**, analgesia, caudal 438c
- PATELLA**, disloc., recurrent 439u; osteochondritis 450a
- PATERNITY**, 306m
- PATHOLOGY**, demonstr. 262n; museums 261i, 359h, 475t
- PATIENTS**, uncooperative 275w
- PEANUTS**, 457c, 457d
- PEDIATRIC SERVICE**, Louisiana 357p
- PEDIATRICS**, 297h, 298i, 298-1, 346c, 375a, 389a; bibliog. 299a; congresses 375d; grid technic 390t; post-grad. educ. 357m
- PEDODONTIA**, certification 330a
- PELGER'S NUCLEAR ANOMALY**, 371v
- PELLAGRA**, 360i, 377n; ther. 264s, 445a
- PELVIS**, allergy 342s; exam. 335t; female, abnorm. 357d; fract. compl. 473c
- PEMPHIGUS**, 415a, 436i; eye 457i; ther. 242c
- PENICILLIN**, 282g, 292u, 302i, 320o, 367s, 372u, 385d, 474i; admin. & dos. 270f, 286h, 380d; amyl 418n; compl. & seq. 295w, 372p; depo 379a, 432e; deriv. 432k; determ. 448a, 466-1; eff. 286h, 333q, 379q, 398b; exper. 444n, 444r; in appendectomy 474j; in child. 295s, 380g; in surg. 474h, 474i, 474k, 474-1, 474m, 474n; indic. 394-1; iron salt 372k; metab. 446i; prod. 368t; reactions 413l; resistance 371w; standard. 393a; ther. 264r, 267k, 267v, 268u, 278v, 279m, 295u, 295v, 298u, 308t, 311m, 315k, 330p, 345e, 346c, 346n, 346u, 365m, 369p, 371g, 383u, 383v, 390e, 390u, 394k, 395d, 398s, 413-1, 432c, 435l, 442h, 443c, 448r, 448t, 459i, --actinomycosis 278r, --compl. & seq. 448u, --gonorrhea 280m, --skin dis. 280o; tox. 252m, 367u
- PENICIPLAST**, 287k
- PENIS**, cancer 309s; dis., diag. 340d; gangrene 441t
- PENTANE DIODIDE**, 351j
- PEPPERMINT**, 302u
- PEPTIC ULCER**, 253m, 277, 355c, 431q; compl. & seq. 363b; diag. 253n; diet 364m; esophageal 439j; etiol. 364-1, 364p, 423e; in child. 300d, 390d; pancreatectomy 447i; perf. 282q, 347c, 423o; progn. statist. 281p; roent. 281m, 364o; surg. 253p, 265q, 308-1, 314h, 364n, 415g, 397o, 415h, 415i, 442b, 473e; ther. 253q, 253n, 253o, 253r, 273k, 276u, 285j, 341u, 360p, 364-1
- PEPTONE**, eff. 386k
- PERFUSION FLUIDS**, 424u

- PERIARTERITIS**, nodosa 424g; etiol. 377s; pathol. 272g
- PERICARDITIS**, in child. 461o
- PERICARDIUM**, cysts 366a; dis. 323t
- PERINEUM**, female 357r
- PERIODONTIUM**, dis. ther. 250e, 251c, 329s; pathol. 330s
- PERIODONTOLOGY**, certification 329w
- PERITONITIS**, 298c, 358i; ther. 286s, 311m
- PERIVISCERITIS**, abdominal 285u
- PERSONALITY**, 264j, 289w, 442z, 454v, 455t; disorders 276v, 381p; neurol. aspects 454v; tests 380q
- PERTUSSIS**, in child. 461a
- PETRITIS**, surg. 459f
- PHANTOM LIMB**, 364c
- PHARMACISTS**, economy 302v, 303a
- PHARMACOGNOSY**, 302-i
- PHARMACOLOGY**, compl. & seq. 367k; exper. 379p
- PHARMACOPOEIA**, Brit. 303e, 303g, 303i; Germany 303r
- PHARMACY**, 302-i, 303-1, 392w; appar. 466w; educ. 302q, 302r, 302s
- PHARYNX**, poly 295r; stenosis 297b; tumor 294o
- PHENOLPHTHALEIN**, tox. 356e
- PHENOTHIAZINE**, ther. 315t
- 1-PHENYL-2-BUTYLAMINE, 392h
- PHENYLPROPYLAMINES**, 416c
- PHEOCROMOCYTOMA**, 343n
- PHILIPPINE FOWL DISEASE**, virus 307o, 307p
- PHLEBITIS**, ther. 273h, 428s
- PHLEBOGRAPHY**, 379d
- PHLEBOTHROMBOSIS**, surg. 338d
- PHOBIAS**, 469f
- PHOSPHATASE**, 254k, 443s, 468e, 468g, 468h; determ. 403t; distrib. 417d
- PHOSPHATE**, 333s
- PHOSPHORUS**, determ. 391s; optical aspects 293b, 294a; radioactive, ther. 346v
- PHOSPHORYLASE**, 333o, 417-1
- PHOSPHORYLATION**, 417c
- PHOTOGRAPHY**, 293v; dent. 328e
- PHOTOMETER**, 254c, 294e
- PHTHALOCYANINES**, 254q
- PHYSICAL EFFICIENCY**, 426-1
- PHYSICAL EXAMINATION**, in child. 395k
- PHYSICAL MEDICINE**, 423h
- PHYSICAL THERAPY**, 413a; exper. 315c; teaching 375c
- PHYSICIANS**, 340a, 359e, 420-1; income tax 358m; insurance, Switzerland 285b; leadership 290h; letters 262k; life expectancy 440u; office planning 266v; plantation 363g; pub. relations 354v
- PHYSIOLOGY**, 358s; study & teach. 419h
- PHYSIOTHERAPY**, 303u
- PIEZOELECTRICITY**, 333u
- PIGMENTATION**, 335b, 335c, 368b; cutaneous 367d; pterin 418b
- PILOCARPINE**, tox. 266a
- PILONDAL DISEASE**, 347g
- PIPERIDINE DERIVATIVES**, 445u
- PIPERITONE**, 416j
- PITUITARY GLAND**, 291n, 362r, 465v; blood vessels 418-1; dis. 373s; physiol. 415n
- PLACENTA**, accreta 280f; premature separation 257-1, 260o; -ther. 440h, 440i
- PLACENTA PREVIA**, ther. 440h
- PLAGUE**, immun. 258i; ther. 435e
- PLANTS**, chem. 315g; dis. 315f; hepatica triloba 466s; leaves 466o; neoleucinodes elegantalis 242k; pathol. 255f; spartina townsendi 241u; trillium undulatum 401d
- PLASMA**, ther., in child. 389n
- PLASMOCYTOMA**, 345m
- PLASTER OF PARIS**, infect. 342j, 342k; jacket 450a
- PLASTIC SURGERY**, 438e
- PLASTICS**, in surg. 313j
- PLEURA**, calcification 448t; effusion 345k; fibroids, etiol. 323a
- PLEURITIS**, roent. 479n
- PLEUROPEUMONIA**, diag. 427s
- PLEXUS PAPILLOMA**, intraventricular, in infant 299h
- PLUMMER-VINSON SYNDROME**, 355v
- PNEUROECTOMY**, results 287g
- PNEUMOCOCCOSIS**, blood chem. 443q; ther. 445-1
- PNEUMOCOONIOSIS**, breathing 263m, -diag. 471u, -etiol. & pathogen. 317o, 443k, -occup. 308q, 395b; pathol. 404i; ther. 349a
- PNEUMONIA**, 347i, 478w; bacterial 448j; in child. 297-l; compl. & seq. 433i, 443r; in London 317r; pneumococcal 279m, 432c; rheum. 361n, -in child. 300n; tularemia 431r; virus 271h, 391b; therapeutic 438m, - compl. & seq. 275-1
- PNEUMOTHORAX**, 310i, 339t, 394v; artificial, compl. & seq. 373k, 438n; extrafascial 317v; extrapleural 317t, 479z; spontaneous 356g, 437v, 446r, 471-1; trauma. 264w
- POGONOPUS TUBULOSIS**, 442c
- POKILODERMA**, 414h, 414t
- POISON**, 447p; convulsive 386e; respiratory 334a
- POISONING**, 355i, 394e; in child. 360u
- POLAROGRAPHY**, 392o
- POLIOMYELITIS**, 281g, 285q, 286r, 299g, 377u, 395d, 425h; acute, ther. 441j; bact. 421l; balneotherapy. 371p; bulbo spinal 390q; compl. & seq. 262q, 284i, 378d; deform. 449r; dental roots 331b; diag. 300e, 433e, 441-1; epidemiol. & statist. 402p, 441j, 470v; etiol. & pathog. 423g; exper. 421r, 444m; in Cleveland 390q; in pregn. 341v; in St. Helena 441k; in Tyrol 299f; predisposition 285k; research 443d; respiration 424j; serodiag. 402n; ther. 271s, 299f, 315v, 373e, 438e, 379r, 380-1, 441-1, 441m, 449d; virus 333w, 419f
- POLITZERIZATION**, appar. & instr. 420h
- POLYMER**, fractionating 416-1
- POLYNEURITIS**, 264d
- POLYSCLEROSIS**, diag. differ. 429f
- POLYVINYL PYRROLIDONE**, 283q, 283r
- POPITEAL ARTERY**, wounds & inj. 311s
- PORCELAIN JACKET**, repair 251m; ther. 250e
- PORPHYRIA**, 452t
- PORPHYRIN**, 261t; in mollusca 255g
- POSOLOGY**, in child. 467d
- POSTURE**, ERECT, inj. eff. 336k, 437f
- POTASSIUM**, metab. 299n, 467n; tolerance 276f; tox. 287q, 452m
- POTASSIUM PERMANGANATE**, inj. eff. 258j
- POTATOES**, 333k
- PREGNANCY**, 258c, 267t, 268j, 269a, 336g; blood in 339i, 368n; compl. 260q, 258p, 265t, 267b, 269p, 273d, 339v, 342w, 358j, 425-1, 432o, 432t; diet 308d, 460h; ectopic 257r, 258p, 269u, 276c, 308w, 377o, 440e; endocrin. asp. 255v, 398c; hemorrh. 432t, 440j; multiple 272n; Rh factor 271p; tox. 344w, 369r, 442f; tuberculosi 338f
- PREGNANEDIOL**, determ. 435h
- PREMATURE INFANTS**, 456g, 465i
- PRENATAL CARE**, 393-i
- PRESBYOPIA**, 457g
- PRINTING**, hist. 420p
- PRISCOL**, eff. 397g
- PROCAINE & PROCAINE COMPOUNDS**, 282g; eff. 286h; in arthritis 267p; in neurol. 379i; metab. 392a
- PROCTOSCOPY**, 351c

- PROFENIL, ther. 278s  
 PROGERIA, 298n  
 PROGESTERONE, eff. 241j; metab. 259t  
 PROGNATHISM, surg. 373f  
 PROJECTION, 451f, 451j  
 PROSTATE, cancer 358-1, 372q, --diag. 378m; surg. 312r, 443a, 447f; tumor, ther. 316e  
 PROSTATECTOMY, 270s, 270t, 273g, 274c, 274d, 397e, 399v, 472-1; indic. 268f  
 PROSTATISM, 439d  
 PROSTHESIS, cranium 453; dent. 250i, 250k, 251g, 328q, 328s, 328v, 330k, 412u, 412w, --complete 330c, -impressions 328t, -partial 413e; eye 383c; face 251b, 330t; nose 251b  
 PROSTHODONTICS, certification 329v  
 PROSTIGMINE, 332o; eff. 386p  
 PROTEINS, 355t, 389e; blood 259j, 447j; defic. 395e, 401j; diet 267u, 424h; eff. 462m; exper. 461v; in surg. 266d; ther. 253o  
 PROTEUS, 297s  
 PROTHROMBIN, 345p  
 PROTHYRIN, injur. eff. 286o  
 PRURITUS, 277n  
 PSEUDARTHROSIS, ther. 449i, 475q  
 PSEUDOMONAS AERUGINOSA, 398c  
 PSITTACOSIS, 424i  
 PSORIASIS, 414q, 414s; etiol. & pathogen. 367p  
 PSORIATIC ARTHROPATHY, 289-1  
 PSYCHIATRY, 276m, 283-1, 348d; general practice 350e, 361k; genet. aspects 381r; Haiti 339q; gyneac. esp. 259u; industrial 422b  
 PSYCHOANALYSIS, 374q; in child. 451l  
 PSYCHOLOGIST, milit. service 468r  
 PSYCHOLOGY, 339p, 370r, 381i, 420a, 450w, 468u, 469a, 469j  
 PSYCHOPATHS, 283-1, 290m, 351k  
 PSYCHOPATHY, 350-1  
 PSYCHOSIS, bromide 290c; involuntional 455v; symptomatic, exper. 291n  
 PSYCHOSOMATIC DISEASES, 288u, 288w  
 PSYCHOSOMATIC MEDICINE, 270m, 275v, 341e, 351s, 355h, 454c; hist. 454d  
 PSYCHOSURGERY, 273p, 273r, 273w, 274a, 347w, 352w, 365p, 427p, 453n, 455m, 455p, 455r, --intellect 450n; exper. 454h; indic. 347u; psychol. esp. 455e, 455n; results 273o, 273s, 347i, 347v, 352v, 353b, 435c, 455d, 455j, 455-1; tech. 291b, 353a, 353d, 454t, --instr. 455j  
 PSYCHOTHERAPY, 290b, 315o, 381b, 450u; anthropol. aspect 290a; group 438c, 451b, 451c, 451d, 451e, 452r; pediatric 299e; quackery 381i; training 290d, 450v, 451a, 451b  
 PSYCHOTIC BEHAVIOR, 381f, 452p  
 PUBERTY, anomalies 274h, 291d; precocious 367d, 390p; psychol. esp. 389d  
 PUBIS, osteitis 440d  
 PUBLIC HEALTH, 284g, 306e, 346h, 353s, 419i, 470-1; in Austria 374v; Belg. colonies 266g; Canada 342o, 361j; in Czechoslovakia 377b; Europe 308h; Germany 306s, 307a, 393q, 394c; Paris 443h; statistics 345h; train. 431o; U. S. 433r, 470a  
 PUBO-URETHRAL TRIANGLE, 274m  
 Puerperium, compl. 260t, 260r, 448a; hemorrh. 364t, 371-1, 437m; infect. 432r, 437m; psychosis 285s  
 PULMONARY ARTERY, aneurysm 280d  
 PULMONARY STENOSIS, congen. 344b, 475m  
 PULMONARY VEIN, roent. 399b; suture 311q  
 PUPILS, Argyll Robertson 452a; distance 292i, 292k  
 PURPURA, thrombocytopenic 267b, 275t, 278-1, 355k, 355t, 356b, 431f  
 PYELITIS, compl. & seq. 364v  
 PYLOROSPASM, infants, surg. 343u  
 PYLORUS, cancer 322v; hypertrophy & stenosis 275m, 362v, 473n  
 PYODERMA, compl. & seq. 367c; ther. 315w  
 PYONEPHROSIS, 376e  
 PYORRHEA' ALVEOLARIS, 330h, 412o  
 PYRAMIDAL TRACT, 454-1  
 PYRIBENZAMINE, eff. 331k  
 PYRIDINE, tox. 444s  
 PYRIDOXINE, ther. 283s  
 PYROPHOSPHATE, tetraethyl 458d  
 PYURIA, diag. 396o  
 Q FEVER, 285e, 395s, 396a, 423k, 478v, 478g  
 QUININE, eff. 291q, 468o; ther. 398i  
 QUINOLINE, 477t  
 RABIES, 387t; bact. 421k, 421u; ther. 387i  
 RACE, climat. asp. 334u  
 RADIATION, 419b; detector 375i; eff. 307m, --inj. 386g, 431b; gamma 403o, 405p, 405u, 405s  
 RADICULONEURITIS, 381s; cerebrospinal fluid in 299k  
 RADIESTHESIA, 371c, 371g  
 RADIOACTIVE ISOTOPES, 270n, 309u, 373w, 417b; RADIOACTIVE TRACERS, 353i, 391s; decay 431v, 432a  
 RADIOCARBON, use 419-1  
 RADIOGRAPHY, 288g, 317n  
 RADIOGRAPHY, dent. 250w; muscles 310c; kine-matic 471n  
 RADIOLOGY, 270a, 342a; in Chile 369d; pub. health asp. 306h  
 RADIOTHERAPY, 266q; results 309v  
 RADUM, 309m; dosage 309m; inj. eff. 309q; review 309-1; ther. 309-1  
 RADIUS, fract. 312t, 314p  
 RADON, pharmacy 309w  
 RAT BITE FEVER, in North Carolina 440-1  
 RATS, extermination 393c  
 READING, psychol. 453s  
 RECEPTOR ORGANS, in Tunicata 417i  
 RECORDS, medical 421c  
 RECRUITS, 426-1  
 RECTUM, adeno: carcinoma, metastasis 449v; cancer 278, 272c, 275b, 309t, 345w, 428t, --surg. 397-1; fistula 378w; polyp 281v, 281w; prolaps 477g; rupt. 434q; sphincter ligation 378w; stricture 311c; tumor 424q  
 REFLEX, plantar 381-1  
 REFRACTION, manifest 357b  
 REGENERATION, 403b  
 REHABILITATION, 291u, 291w, 350s, 456c  
 RELAPSING FEVER, ther. 282c  
 RELAXIN, 443q  
 REMEDIAL TEACHING, 290b  
 RENAL ARTERY, 370n  
 REPRODUCTION, animals 322b  
 RESEARCH, dent. 329n; freedom 346g  
 RESEARCHER, 427g; personality 436o  
 RESINS, acrylic 251r  
 RESPIRATION, artif. 467u, 467v; physiol. 467o; sex variation 442t; stimuli. 366f  
 RESPIRATORY TRACT, cancer diag. 448b; for. bod. 394c; inflam. 464m  
 RESUSCITATION, 349v, 376t  
 RETICULOENDOTHELIAL SYSTEM, 345j; dis. 272-1, 387n, 389v, 414j, 437g, 460c, 428f  
 RETINA, 294i; artery occl. 458p; detachment 457k, 457-1, --prev. 383a; dis. 352j; hemorrh. 458j  
 RETINITIS, pigmentosa 278e; solar 385i  
 RETINOSCOPY, 382q  
 RETROPERITONEUM, tumor 364t  
 Rh FACTOR, 257f, 272s, 291v, 306m, 360n, 391d; term. 344n; dis. 385n; immunity 387m; sensitization 349q  
 RHEUMATIC FEVER, 288a; cardiac compl. 262i, 271u, 355-1, 373o, 404e, 422u; diag. 349h, 429g; in child. 451e; prev. 470a; ther. 267v, 357-1, 390w

- RHEUMATISM, 306k, 378a, 394s, 450g; compl. & seq. 300p; diag. 274f; --test 367v; etiol. & pathogen. 344b; in child. 308n, 390h, 395-l; muscular 284a; nomenclature 282n; pathol. 390h; public health asp. 288t; ther. 289i, 306-1, 371d
- RHEUMATOID ARTHRITIS, in child. 300o
- RHINITIS, the. 321-1
- RHINOSCLEROMA, ther. 295o, 433o
- RHIZOTOMY, 358g
- RIIB, abnorm. 479a; granuloma 442w
- RIBOFLAVIN, 253g; defic. 293i, 413o; exper. 448a; parenteral 256u; ther. 286s
- RIBONUCLEIC ACID, distrib. 417d
- RIBONUCLEOPROTEINS, 254o
- RICE, 333n, 403g; diet 263i
- RICKETTSIA, 478e; culture 352i; exper. 361r
- RICKETTSIAL DISEASES, 375v, 387i, 387h
- RIGIDITY, 267w
- RINGWORM, ther. 269r, 271o
- ROCKY MOUNTAIN SPOTTED FEVER, ther. 270-1
- RODENTICIDES, 446h
- RODENTS, 271i
- ROENTGEN RAYS, eff. 471a; eff. of hydrogen on 333f
- ROOMING-IN PLANS, 277p
- RORSCHACH TEST, 339q, 455u, 455w
- ROSACEA, ther. 364d
- ROUND LIGAMENT, abnorm., surg. 442k
- RUBELLA, compl. & seq. 389f
- RUBELLIN, 418a
- RUMEN, bacteria 418r
- RUMINATION, 423a
- RUTIN, eff. 392c
- SACROILIAC JOINT, 371a
- SACRUM, tumors 358j
- SAILORS, psychol. 362c
- SALICYLATES, tox. 266e, 267b
- SALICYLIC ACID, chem. 371-1; p-amino 372m, 372n
- SALINE SOLUTION, eff. 344q
- SALIVA, 251u, 346e, 413n
- SALIVARY GLANDS, 401e
- SALEMONELLA, bact. 421n, 421p; carriers 307p; infect. 390u, 424t; typing 255g, 301h; variants 386t, 388v
- SANITATION, 355f, 469s
- SARCOIDOSIS, 293t, 295p, 367c, 431m, 436c; pathol. 460d
- SCABIES, 252s, 316q
- SCALP, appar. 420t; ringworm inf. 464p; tumors 414n
- SCAPHOID BONE, surg. 380a
- SCARLET FEVER, 297k, 365m, 376i, 390e
- SCHISTOSOMIASIS, 279c; Japan 478i, 478o
- SCHIZOPHRENIA, 290n, 372j
- SCHOOLS, dent. serv. 413u; health serv. 461p
- SCHOOLS, MEDICAL, 261g, 261h, 286u
- SCIATIC NERVE, inj. 453d
- SCIATICA, 260m, 277e, 352r, 450h
- SCIENCE, 419v, 420b; centenaries 417p; information serv. 333d
- SCLERODERMA, 317u, 436d; compl. & seq. 414f; pathol. 414s; ther. 308t, 331i; ther., compl. & seq. 282-1
- SCLEROSE, 282r; lateral 433-1, 451o; multiple 261u, 263j; disseminated 286m, 381v, 382d
- SCOLIOSIS, surg. 449o
- SCROFULODERMA, 355j
- SCURVY, capillary tests 343i; in child. 266h
- SEIZURE, epileptiform 389b
- SEmen, 254-1, 336h, 430u
- SENSATION, adaptability 290i
- SEQUESTRUM, 474-1
- SERUM SICKNESS, 445s
- SERVETUS, MICHAEL (1509-1553) 287u
- SEWAGE, 396f, 470i
- SEX, abnorm. 388c; criminal aspects 332h; endocrine aspects 336h, 443a; genetic aspects 283g
- SHARK REPELLENT, 420d
- SHIGELLA, 421g
- SHIPWRECK, 382c
- SHOCK, 268a, 351t, 398i; circulation in 254v; exper. 283i
- SHOCK THERAPY, 274g, 289o, 289s, 290o, 340w, 394g, 394h, 394i, 446h, 477r; appar. 256s; card. compl. 380v
- SHOULDER JOINT, disloc. 449f, 449u
- SIGMOID, cancer 310p; diverticulitis 473t; pert. 313h, 313n; tumors 281v; volvulus 284c
- SIGNATURES, 302p
- SILWORMS, 335b, 335c, 335d
- SINUS, MAXILLARY, cysts 363d; dis. 295n, 385b, -in child. 295s; punct. 296p
- SINUSES, NASAL, cancer 472g; dis. 293t; in child. 456n; melanoma 351q; roent. 371j
- SINUSITIS, 295g, 358c; compl. & seq. 295m; frontal 295d, 431c; in child. 342m; posterior 384w
- SJÖGREN'S SYNDROME, 369j, 385a
- SKIN, abrasions 377-1; atrophies 367a; cancer 340q, 367q, 370t, 404b, 428s, 436i, 460d; cleansing 304c; dis. 269f, 275d, 280o, 306p, 306w, 422u; medication 242d, 256v, --radiother. 425-1, --ther. 331n, 356a, 395d; endocrine aspects 337c; exam. 287m; fungi 252o; graft. 314n, 476i, 478u, 478v, 478w; reactions 321t; tuberculosis 367t, 368d, 436-t; tumors 252q, 414h
- SLEEP, 378t; dis. 381h, 425w; posture 289k
- SMALLPOX, diag. 470c
- SNAKE VENOM, 467i; chem. 241v
- SNEEZING, 430r
- SNUFF, 293u
- SOAPs, deternt. 392t
- SOCIOLOGY, 427f
- SODIUM ASCORBATE, 334b
- SODIUM HYPOSULPHITE, metab. 345o
- SODIUM, IODIDE, 303m
- SODIUM THIOCYANATE, eff. 302g
- SODIUM THIOMALATE, ther. 354s
- SOIL, erosion 354h; microbiology 321w
- SOLUTIONS, 388g
- SPACE PERCEPTION, 457v, 469d, 469e
- SPEECH, 385g; appar. 384i; dis. 291p, 384n, 438i; in child. 384k, 384-1; perception 256j; physiol. 455g; tests 384o, 384p; ther. 284q, 308-1, 384i, 384j, 384-1, 384n, 384q
- SPERMATOGENESIS, 335a, 417d
- SPHENOID BONE, 382u
- SPINA BIFIDA, 474d
- SPINAL ARTERY, thromb. 452e
- SPINAL CORD, abnorm. 453-1, 382b; dis. 389m; innerv. 375t; tumors 274s, 283i, 362i, 382b, 451s, 473j; wds. & inj. 428a
- SPINAL PUNCTURE, 428p
- SPINE, abnorm. 425q; biopsy 449r; deform., roent. 310f; dis. in child. 380t; fract. 287d; inj., first aid 433f; inj., sex. eff. 279e; tuberculosis 340o; tumors 349t
- SPRILLOSIS, oral 252c, 252d
- SPRIOCHETES, 321t
- SPLANCHNOPTOSIS, 345a
- SPLEEN, cysts 265t, 311r, 312o; dis. 265t, 311r
- SPLENOMEGLALY, surg. 310s
- SPONDYLOLISTHESES, 313p; surg. 354s
- SPONDYLOYSIS, rhizomelic 371f
- SPORES, 375o
- SPRUCE, compl. & seq. 266f; ther. 289e, 429o; trophical 284u, 355w
- STAGO, 371t
- STAMMERING, 277j

- STAPHYLOCOAGULASE**, 288b  
**STAPHYLOCOCCI**, anaerobic 340r  
**STARVATION**, adrenals in 59is; eff. 417-1,462t,464a  
**STATISTICS**, 417q; correlation coefficient 469p; methods 469o,469p; psychol. 469n; standard deviation 417r  
**STEATORRHEA**, 286d,284v,343e  
**STELLATE GANGLION**, block 439q  
**STEREOGNOSIS**, 381m  
**STERILITY**, 260d,266q; female 277i,446u; genetic aspects 257e; in mare 376v; male 368o,430v  
**STERILIZATION**, dent. 377h,377i  
**STERNUM**, punct. 394v; rheumatism 373u  
**STEROIDS**, eff. 468d,468e; in urine 287v; sulphur-containing 255-1  
**STEVENS-JOHNSON'S SYNDROME**, 280m  
**STILBAMIDINE**, ther. 280u,367d,375-1  
**STOMACH**, acidity 423e,472u; biopsy 351i; blood vessels 266c,284u,313c,425m,425o; cancer 338k, 345b,397n,430i,472u,473r; --diag. 471; cardio-spasm 473m; fundus 371p; inflamm. 480i; innerv. 270v; mucosa 314u; prolapse 355b,397a; roent. 379j; sarcoma 365o; secretion 253a,253i,253k, 265u; surg. 284n,284o,311n,357w,365h,474b, --compl. & seq. 343o,--indic. 393u; tumors 281s, 378-1,429i  
**STOMATITIS**, aphthous 373j; ulcerative 377e,377i, 377g  
**STRABISMUS**, 275h,293c,457n; in child. 343-1; surg. 385v; ther. 306g  
**STRABOTOMY**, compl. & seq. 383e  
**STRAMONIUM**, 466q  
**STREPTOCOCCUS**, 321s,379q  
**STREPTOMYCIN**, 293k,348e,431j,439d,447n,478c; bact. resistance 283g,399c,445p; compl. & seq. 339h; depot 301-1; eff. 274u,283s,330s,365t, 384d,398b,--radiogr. 310g; exper. 444r,446e; in child. 378p; in gyn. 258-1; in jaundice 341d; in leptomenitis 374h; in scrofuloderma 356j; in surg. 348n,348t,349b; intraperitoneal use 357v; in tracheal 303e; neurrol. compl. 378r; ophth. aspects 650m; prod. 254r,255d; ther. 265r,271s,275i,278w,284r,285v,285w,289q,296m, 298m,311m,323s,339t,340-1,341b,345l,348g, 348j,348k,348o,348p,348q,348r,348s,348v,348v, 349a,349c,349d,349e,353h,354m,360-1,365l,367l, 374m,389k,390k,398r,398s,398v,399h,399i, 399k,413n,422u,431r,433o,435e,438o,438p,478f; tox. 384v  
**STREPTOTHERICIN**, eff. 421k  
**STROPHANTHIN**, in child. 463s  
**STRYPHNON**, eff. 312n  
**SUICIDE**, psychol. aspects 380w  
**SULPHADIAZINE**, ther. 265r  
**SULFATHIAZOLE**, sensitivity 293g; tox. 347-l  
**SULFONAMIDES**, 294g,387t,390c; chem. 345v; deriv. 315j; eff. 415m,466p; local use 458d; ophth. aspects 266s; ther. 274o,306t,335r,368e,390i; titration 304h; tolerance 376j; tox. 272f,342g, 344c,441d,442p; tumor prod. 384f  
**SULFONES**, 281p  
**SULFUR**, compounds 332d; hydrosols 416s  
**SUN BURN**, 433t  
**SUPERCOOLING**, 416r  
**SUPERSONIC WAVES**, eff. 332u; in acetic acid 417g; in bees 332n; in dent. 251t; in med. 425g; ther. 288h  
**SUPRONAL**, dos. 336-1  
**SURGEONS**, hobbies 447n  
**SURGERY**, 275v,286v,354k,433q,475g; antiseptic & aseptic 328s; appar. & instr. 275o,306j,311v, 311w,353g,377-1; at sea 359d; congresses 337v; Germany 283o; hist. 473r; in gyn. & obst. 314k; in VA hosp. 278r; minor infect. 249t; pediatric 314b,349w,439o; plastic 274c,289s,281i,370c, 429w,441p,442j,443d; postop. care 477n; postop. compl. 396q,427a; technic 311b,396t,474f; training 313v  
**SURPONAL**, 394q  
**SUSPENSIONS**, 465t  
**SUTURES**, 257v,287p,311p,313b,370n,400c  
**SWEAT**, 452k  
**SWEAT GLANDS**, abscess 394f; dis. 286t,422i; innerv. 290r,452k; tumors 252g,427m  
**SWINE-HERD DISEASE**, 316w  
**SYCOSIS**, 379c  
**SYMPATECTOMY**, 310j,370i,476r; cervical 283k; indic. 263e,293-1; lumbar 397f  
**SYMPATHETIC OPHTHALMIA**, etiol. & pathog. 293i  
**SYMPATOL**, eff. 368h  
**SYMPHYSIS PUBIS**, in obst. 259h  
**SYNOSTOSIS**, radio-cubital 365-1  
**SYPHILIS**, 266m,316s,398e,428i; Austria 375c; bact. 308t; compl. & seq. 362-1,364h,428k; con-gen. 368r,391g,414o; endemic 378n; in puer. 368m; infect. transfusional 379b; Jarisch-Herxheimer reaction 346n; lit. rev. 252u; pathol. 268j,368a; prenatal 375a; prev. & control. 400i; serodiagn. 262j,361o,385o,424b,433i; ther. 267k, 282d,315o,352b,367r,367s,373t,400j,427u,443c, 459o; transm. 315v  
**SYRINGES**, 334k,334-1  
**SYRINGOMYELIA**, 289u,471h  
**TANTALUM**, 397q  
**TECHNOLOGY**, med. 435i  
**TEETH**, abnorm. 250r,250s,412n; caries 330g,338a, 412v,413g,426h,431c; eruption 329-1; extraction 250a,-tech. 413m; filling 328m,329i,250c; impacted 250v; implant 329c; infect. 329q; measurement 329d; occlusion 412-1,414b; pulp, anesth. 328o,--dis. 329b,--polyp 250o,--ther. 329h; roent. 413k; root canal ther. 251e,413n; root de-gener. 331b; supernum. 250v  
**TELENCEPHALIZATION**, 455k  
**TELEPATHY**, 305w,468s  
**TELEPHONY**, 256j  
**TEMPERATURE**, BODY, eff. 305o; in inf. & in child 299c  
**TEMPORAL ARTERY**, erosion 464n  
**TEMPORAL BONE**, dis. 459n  
**TEMPORAL REGION**, dermoid 459h  
**TEMPOROMANDIBULAR JOINT**, abnorm. 249w  
**TENDONS**, sheaths 474j  
**TERMITES**, 242i  
**TEROPTORIN**, ther. 264u  
**TESTES**, ectopy, surg. 442r  
**TESTOSTERONE**, eff. 344p; implantation 430-1; psychother. 279n  
**TECTANUS**, 312k,390o; compl. & seq. 283b; etiol. 416b; immun. 442o; in child. 426j,--ther. 300d; postoperative 370o; stat. 380a; ther. 398i; toxoid 279u,465k  
**TETANY**, in newborn 389s; postoperative 379m; ther. 339i  
**TETRAETHYLAMMONIUM**, 418f, bromide 263e; chloride 270w; ther. 274-1  
**TETRAHYDROXYLIC ACID**, 255p  
**TETRAZOLIUM**, 418p  
**THALASSOTHERAPY**, hist. 438-1  
**TERAPEUTICS**, 269c,288i,315-1,359w  
**THIAMINE**, 253g; defic. 404h; eff. 253d; eff. 362k, 462w; in blood 462u,463b; in cerebrospinal fluid 463b; in human milk 463c  
**THIAMINE HYDROCHLORIDE**, in child 462r,462s  
**THIOCYANIC ACID**, eff. 315p  
**THIODIETHANOL**, 332r  
**THIOUREA AND THIOURACIL**, eff. 371m,403u,415m; ther. 363c,365v,390v,393s,423b

- THORACOPLASTY**, 479q; compl. & seq. 282t; Mauret 479k
- THORAX**, 463-1; dermatomyositis 337r; develop. & growth 284e; dis. 288o, --diag 347b; hemothorax 312c; pain 276t; roent. 276g, 310f, 424p; surg. 279i, 317p, 343p, 348n, 441f, 476f; tumor 370w
- THORIUM**, disintegration 405q
- THROMBIN**, 276-1, 418t
- THROMBO-ANGITIS OBLITERANS**, 381u, 443m
- THROMBOEMBOLISM**, 340n, 356o
- THROMBOKINASE**, 312n
- THROMBOPENIA**, in child. 360o; ther. 346m
- THROMBOPHLEBITES**, 356o, 423a; surg. 338d; ther. 336n, 343r
- THROMBOSIS**, 285g, 447h; cerebral 475c; coronary 423t; mesenteric 443m; sinus 378g; spinal 452e; ther. 439t
- THUMB**, surg. 358f
- THYMIN**, ther. 285o
- HYDROXYL**, 291n; abnorm. & deform. 312e; cancer metast. 477t; dis. 311r, 347i, --ther. 356c, 433h; echinococcosis 473o; histol. 415o; hyperfunction 269i, 272m, 280s, 359i, 372r, 397i, 397s, 398e, 472p, 447w, --diag. 338h; metab. 472p; surg. anesth. 353i; ther. 242b, 312b, 363c, 363d, 365v, 390v, 393s, 436v, 437q, 474e, --bone marrow 387p; tumor 314m, 363t, --intratracheal 378d, --pathogen. 323b
- HYDROXYKIN**, 386a
- TIBIA**, surg. 314b, 474d
- TICKS**, 322j
- TIME**, psychol. asp. 469i, 450m
- TINNITUS**, 384e
- TISSUE**, amino-acids 255o; culture 241k, 388i; sections 254k; ther. 376s
- TOBACCO**, tox. 275g
- TOBEY-AYER TEST**, 295a
- TOCOPHEROL**, 417w
- TOE**, clawing, ther. 450d
- TOLUIDINE BLUE**, 346m
- TOMOGRAPHY**, 382e
- TONGUE**, fibroma 464v
- TONSIL**, lingual, abscess 459t
- TONSILLECTOMY**, 275c, 281g; hemorrh. 423s; pre-oper. 262s; sudden death 459
- TONSILLITIS**, 294o; compl. & seq. 292w, 378h, 394a; ther. 276k, 294q
- TONSILS**, bismuth ther. 374o; physiol. 295l; radio-ther. 297-1; tuberculosis 384d, 385a; tumor 295t
- TONTOMETERS**, 412h
- TORULOSIS**, newborn 270a; nerv. system 434u
- TOXEMIA**, stat. 258c
- TOXIN AND ANTITOXIN**, flocculation 388-1
- TOXOPLASMOSIS**, 391f; congen. 389i, 389j; immun. 256b
- TRACHEA**, tumor 378d
- TRACHEAL CHAIN**, 392f
- TRACHOMA**, 352i; diag. 352p; epidemiol. 352n; etiol. 352o; ther. 292s
- TRAUMATISM**, otoneurol. asp. 385j
- TREMATODES**, 419c, 419j
- TREPHINE**, 291j
- TRIATOMA**, 317k
- TRICHINOSIS**, 445v, 478h
- TRICHLORETHYLENE**, 328n; tox. 376i
- TRICHOZYPOSIS**, 415c
- TRICHOSTRONGYLUS**, infect. 299n
- TRIDIONE**, tox. 434w
- TROCHANter**, fract. 285k
- TROPICAL MEDICINE**, 277p, 316j, 438f
- TRUSS**, 256t, 420i
- TRY PAN RED**, 445f
- TRY PANOSOMA CRUZI**, cult. 417c
- TRY PANOSOMIASIS**, 284c, 478d; animals 255c
- TRYPSIN**, eff. 333s
- TSUTSUGAMUSHI DISEASE**, 418t
- TUBERCLE**, bacilli 304t, 364b; pathol. 378p; resistance 479h, --streptomycin 399e, 399f
- TUBERCULIN**, 461c, 461e, 462d, 462e; eff. 389t; fractionation 479b; reaction 368d, 479j; temporary sensitization 399h
- TUBERCULOSIS**, 265j, 375g, 439i, 479g, 479o; allergy 398o, 399-1, 399n; atypical 309h; BCG vaccine 264f, 270d, 273u, 279d, 297g, 298f, 299s, 285t, 300t, 352i, 393m, 479c, 479j; blood in 288-1; bovine 394m; bronchogenic 479g; diag. 360d, 398s; empyema 398g; epid. & stat. 479m; fistula 358j; genito-urinary 271s; heart 323s; hospitals 479-1; immun. 279d, 437e; in child. 265i, 262-1, 265j, 274v, 298g, 298h, 300a, 460v, 461a, 461b, 463d, --diag. 394q, 394v, --ther. 297t; in pregn. 258m, 276c, 336d, 335v, 335w, 336a, 338b, 336c; infect. 398a, 478r; pathol. 398p, 399j; prev. & control 268b, 277d, 306c, 338o, 348h, 395u, 399s, 429-1, 456d, 479a, 479h, 479-1; psychosom. 454f; rehabil. 477o; roent. 479o; ther. 265k, 274u, 275i, 278p, 278w, 284r, 286a, 286b, 298k, 300t, 348g, 355p, 365i, 372n, 398r, 398u, 339r, 340-1, 3451, 399h, 399q, 390f, 447u; transmission 360q
- TUBERCULOSIS, MILITARY**, 336, 390r, 438u; in child. ther. 378p; in pregn. 337e; ther. 379o, 399i
- TUBERCULOSIS, PULMONARY**, 285o, 317r, 390r, 268t, 344l, 375g; cavities 284s, 348o, 348q, 348s, 348u, 348v, 349c, 349d, 349e, 478v; compl. & seq. 339k, 398t, 438s, 478w; diag. 384j, 434-1, 435m, 438t, 443e; exam. 399p, 443k; exper. 445m; in child. 348v, --roent. 286c, --ther. 285v, 285w; Netherlands 309d; pathol. 348e, 478u; predisposition 438w; roent. 310g, 348i; surg. 284t, 314e, 430j, 478s, 478t; ther. 281q, 348j, 348t, 374w, 398s, 428s, 438v, 425t, 438p, 399k, --colleagues 287m, 348k, 348q, 438m, 478u
- TUBERCULOUS**, employment 421w
- TUBOCURARINE**, 445t
- TULAREMIA**, pathol. 423c
- TUMOR CLINICS**, 360w, 369w
- TUMORS**, 375m; adenoma 316e, 374i, 460t; adenocarcinoma 297v; analysis 403q; angioma 414s, 414t, 447g; angiomyomata 380t; brain 433n, 453b; bronchi 471r, 472d, 472z; Brown-Pearce 446b; calcinoses 449q; chemotherapy 333t, 376b; cholesteatoma 382a, 384t; chondromyxoidfibroma 427i; chorioepithelioma 452u; color reactions 400f; cylindromata 312j; diag. 280w; epulis 336g; epitheliomas 296d, 436v; exper. 403s, 444o; fibroids 258s; fibroma 259s, 272r, 273p, 294k, 294o, 310m; fibromyoma 338r; fibrosarcoma 273p, 375p; glioblastoma 453k; glioma 264k; granuloma 312b, 313o; granuloma cell, transp. 445h; heart 471k; hemangioma 315m; hematoma 318e, 453p; host resistance 446c; lipoma 443n; lymphangioma 397b; lymphatic 263b; lymphoblastomas 331m, 372w; lymphomas 266d; lymphosarcomas 261a, 375p, 431g, 414w; melanoma 423-1, 448o; melanomas 280h; meningioma 262m, 294r, 453o, 453p; myeloma 460s; myoma 414h; neurinoma 451s; nomenclature 359f; osteoma 279v, 311g, 352c, 352d, 352e; papilladenoma 414m; papilloma 318f; radiother. 310d; retinoblastoma 434m; retroperitoneal 364t; sarcoma 256m, 358u, 374g, 375t, 396k; compl. & seq. 471-1; seminoma 273s; sponge-neuroblastoma 452v; sputum in 280w; transp. 445h
- TURNER'S SYNDROME**, 297m
- TWINS**, 260r, 292j
- TYPHOID**, 306n; compl. & seq. 282w; kidneys in 358h; pathogen. 382e; serodiag. 388f; ther. 306o; vaccine 398f
- TYPHUS**, 306m; blood in 387g; diag. 394w; murine 356i, 356j, --infect. 421f; prev. 308s; tests 361s; Texas 375s; ther. 353o, 387r, 394t; transm. 339j
- TYROSINE**, 373n
- TYROTHERMICIN**, 384b

- ULCERS, cural 315q, 415a  
 ULNA, fract. 314p  
 ULTRA SOUND, 379f; eff. 429k  
 UMBILICUS, 363u  
 UNDULANT FEVER, 352c, 441u; cardiovascular  
     442d; diag. 440a; ther. 265r  
 URANIUM, hydride 412g  
 UREASE, gastric 333k  
 UREMIA, 270h; extrarenal 439h; ther. 271m  
 URETER, dilat. 390n, 436t; surg. 273i, 400a; wds. &  
     inj. 269s  
 URETHANE, eff. 287g, 379h, 444h, --inj. 377v; ther.  
     280r, 315u  
 URETHRA, 431o; abnorm. 268n; calculi 400c; can-  
     cer 336m, 438v; inflamm. 349-1  
 URGINEA, 418a  
 URINARY TRACT, calculi 400d; infect. 422u; ther.  
     287b, 365h, 371v; roent. in child. 301c; tuberculosi-  
     266i  
 URINATION, disorders 276h, 307h, 431e  
 URINE, exam. 423u; phosphates & sulfates 263i;  
     protein 256h; steroids 415r; sugar, diag. 364r;  
     suppression, ther. 265s  
 UROBILINOGEN, dtermin. 281u  
 UROLOGY, 473k; progr. 473e  
 URTICARIA, 270f, 359-1, 446u, 477v; compl. & seq.  
     414v; solar 331-1; ther. 280p  
 U. S. ARMY MEDICAL LIBRARY, 353u  
 UTERUS, adenitis 260p; cancer 257j, 260i, 260k, 277  
     277m, 322u, 356w, 349m, 361n, 369v, 403k, 477e, --diag.  
     257w, 259e; --progn. 375k; --radiother. 471d, --ther.  
     results 259i; dis. 258a, 332s; disloc., ther. 439p;  
     eff. of drugs on 391q; exam. 360v; excis. vaginal  
     431a, 477c; fibroma 310m, --diag. 258s; inversion  
     370t; mucosa, exam. 377o; pseudomyxoma 337d;  
     puer. bact. 257p; rupt. 260r, 258f; sarcoma 356u;  
     tuberculosis 260c; tumor ther. 258-1  
 UVEA, inflamm. 457h  
 VACCINATION, 299g, 340s, 360h  
 VACCINES, prod. 332j  
 VAGINA, abnorm., congen. 314q; bacteriol. 307q;  
     cancer 403k; cyst 429s; surg. 397s, 477g; ulcers  
     258i  
 VAGOTOMY, 252w, 270v, 359k, 364n; indic. 473v  
 VARICELLA, 459s  
 VARICOSE VEINS, 315q, 379g, 429m; diag. 269f, 474v;  
     in pregn. ther. 432o; post-phlebitic 447k; ther.  
     269h, 363a  
 VAS DEFERENS, surg. 336i  
 VEINS, exam. 475-1; thromb. 284c, 361a  
 VENEREAL DISEASES, compl. & seq. 290e, 355u; in  
     pregn. 316r; Germany 394c; W. Africa 278a; prev.  
     & control 252o, 268r, 316q, 318i, 400i, 433s; ther.  
     278m, 354m, 359a  
 VENOMS, eff. 366d  
 VENOUS PULSE, 383u  
 VENTILATION, 308p  
 VENTURIA, 241r  
 VERTIGO, aural 294m, 367n  
 VETERANS ADMINISTRATION, 290k  
 VETERANS, dis. 263r, 290k, 290-1  
 VIAL STOPPER, 256s  
 VIGANTOL, ther. 306w, --compl. & seq. 315r
- VINCENT'S INFECTION, 330n  
 VINETHENE, 401p; virus 418g; dis. 357j, 389j;  
     neurotropic 321t; research 333b  
 VISIBILITY, 469g  
 VISION, defective 292h, 292q; exam. 383n; field 458i;  
     physiol. 293e; preserv. 458u; training 293p  
 VISUAL SYSTEM, anat. 266n  
 VITAL STATISTICS, 268o, 277q, 420s, 469s; Switzer-  
     land 379b  
 VITALLIUM, 397s  
 VITAMINS, 337-1, 368f, 417g, 466k; defic. 285i, 320q,  
     334h; determ. 467h  
 VITAMIN A 255c, 368g; absorption 300i; defic. in  
     pregn. 460h; synthesis 281p; B 269e; eff. 435g;  
     B<sub>12</sub> ther. 261c, 282e, 282t; B<sub>14</sub> 419k, 419-1; C 316b  
     333k, 334k, 388a, 389b; determ. 330j; D, ther. 255c,  
     275m, 278p, 315m, 356a; E 259t; H 278r; K 420a  
 VITREOUS HUMOR, 457i  
 VOICE, 376d; vibrato 294v  
 VOLVULUS, 262o, 265f  
 VOMITING, in child. 464h  
 VOLVA, cancer 342u; inflamm. 297r; tuberculosis,  
     ther. 367t; tumor 427m  
 WORKMEN, compensation & insurance 416d, 441h  
 WORLD HEALTH ORGANIZATION, 351v, 379k  
 WORLD MEDICAL ASSOCIATION, 351v  
 WORLD WAR, psychol. 469n  
 WORMS, ther. 315t  
 WOUNDS, diphtheria 353p; gunshot 342n, 452r, 475o;  
     hand, ther. 279b; surg. 312h; ther. 277t, 376q,  
     414o  
 WRIST, wds. & inj. 396k  
 XANTHINOXIDASE, 419t  
 XANTHOFIBROMA, 433u  
 XANTHOMA, etiol. & pathogen. 283i  
 XANTHOMATOSIS, 261s, 283i, 460c  
 XEROGRAPHY, 293v  
 XEROSTOMIA, 296u  
 XYLOCAINE, 328n  
 YEAST, 321o, 429r  
 ZINC, determ. 391n  
 ZOOERASTIA, 415w  
 WAR, crimes 270a; med. service 270r, 270s, 271q;  
     prison & internment camps 451a; pub. health  
     aspects, Austria 374v, 375c; wds. & inj. 375d,  
     441p  
 WASPS, 242j, 335a  
 WASSERMAN REACTION, statistics 368m; technic  
     280p  
 WASTE WATER, hyg. 395f, 395g  
 WATER, analysis 393d, 395h, 467g; exam. 316j, 318k;  
     metab. postoperative 440k; micro-organisms  
     321v; mineral 371q; pollution 396d; sea 448w;  
     softening 302n; supply 396e  
 WAX, 466w  
 WEIGHT, 307f  
 WHEAT, 332m  
 WHOOPING COUGH, immun. 340m; roent. 297g;  
     ther. 374m  
 WINE, glycerol in 332e  
 WOLFF-PARKINSON-WHITE SYNDROME, 288a  
 WORK, attitude 290g

458;

ser-

10q,

in

5g;

316b

255c,

a

osis,

1h

4750;

b

71q;

th

5d,

technic

316k;

ms

18w;

7g;

88a